





ABOUT NIGHTSCAPING®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations.

A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping USA

835 Lincoln Ave., Suite #13 West Chester, PA 19380

www.NightscapingUSA.com







SERIES	DIAMETER	HEIGHT	PAGE
CUSTOM	6 x 6"	STANDARD & CUSTOM	PAGES 4 - 5
COURTYARD	2" x 2"	24"	PAGES 6 - 18
GARDEN	4" × 4"	17", 25", 37"	PAGES 19 - 32
ESTATE	6" x 6"	13", 21", 32", 42", 80"	PAGES 33 - 43
ACCESSORIES	N/A	N/A	PAGES 44 - 45
TOPPERS	6" x 6"	ALL 6" x 6" HEIGHTS	PAGES 46 - 50
AUDIO	6" x 6"	21" COMES STANDARD	PAGES 51 - 53







Custom Series Specification Sheet

Courtyard, Garden & Estate Series Made To Order



CUSTOM SERIES® Made to Order

Available in any design & finish you can dream of....

Nightscaping Custom Series® Bollards are artistically handcrafted lights, and one of a kind, made to order. Custom Series Light Bollards can be designed for a wide variety of applications including street sign lighting, custom park and campus light posts and much, much more.

At Nightscaping, we realize that there are just some projects that demand a very unique design, logo or shape that is as unique as the property or home itself. Just as Frank Lloyd Wright would very often create stained glass windows that would be entirely unique to one of his signature prairie style homes, Nightscaping has been handcrafting standard and original designs for our clientele since 1959, to meet the needs of those who are looking for something beyond the "stock" designs.

Nightscaping's team of artisan craftsmen and designers are well equipped to help you create a custom piece or group that is beyond the expected and that will perfectly complement the architecture or theme of the space you are working with.






Custom Series Specification Sheet Courtyard, Garden & Estate Series


Made To Order

NIGHTSCAPING CAN BRING ANY IDEA...



...TO REALITY!













CorTen Steel Area Light Courtyard Series Bollards

Shadow Patterns: 2x2x24" Nightscaping Light Bollards



2x2x24" Ivy Design



2x2x24" Mission Design



2x2x24" Celtic Design



2x2x24" Spiral Design







CorTen Steel Area Light Courtyard Series Bollards

Shadow Patterns: 2x2x24" Nightscaping Light Bollards




2x2x24" Diamond Design



2x2x24" St. James Design



2x2x24" Wright Geo Design



2x2x24" Daylight Design







CorTen Steel Area Light Courtyard Series Bollards

Shadow Patterns: 2x2x24" Nightscaping Light Bollards



2x2x24" Crosses Design





COURTYARD SERIES IVY PATHLIGHT:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our handcrafted fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 2x2 pathlights are constructed from 11 gauge, 2" SQ, solid steel tubing. The CorTen Steel top is easily removable with a single Alan-head screw. This creates easy access to the luminaires internal components.

The Courtyard Series pathlights are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED module (included).

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsA 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every pathlight. The Courtyard Series Nightscaping® pathlights can also be surface mounted using the brass Universal Mounting Plate (see website for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).







COURTYARD SERIES MISSION PATHLIGHT:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our handcrafted fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 2x2 pathlights are constructed from 11 gauge, 2" SQ, solid steel tubing. The CorTen Steel top is easily removable with a single Alan-head screw. This creates easy access to the luminaires internal components.

Available Finish

The Courtyard Series pathlights are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED module (included).

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options

A 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every pathlight. The Courtyard Series Nightscaping® pathlights can also be surface mounted using the brass Universal Mounting Plate (see website for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

Warranty







COURTYARD SERIES CELTIC PATHLIGHT:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our handcrafted fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 2x2 pathlights are constructed from 11 gauge, 2" SQ, solid steel tubing. The CorTen Steel top is easily removable with a single Alan-head screw. This creates easy access to the luminaires internal components.

The Courtyard Series pathlights are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED module (included).

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsA 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every pathlight. The Courtyard Series Nightscaping® pathlights can also be surface mounted using the brass Universal Mounting Plate (see website for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).







COURTYARD SERIES SPIRAL PATHLIGHT:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our handcrafted fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 2x2 pathlights are constructed from 11 gauge, 2" SQ, solid steel tubing. The CorTen Steel top is easily removable with a single Alan-head screw. This creates easy access to the luminaires internal components.

Available Finish

The Courtyard Series pathlights are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED module (included).

Lamp Adjustment


Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options

A 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every pathlight. The Courtyard Series Nightscaping® pathlights can also be surface mounted using the brass Universal Mounting Plate (see website for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

Warranty







COURTYARD SERIES DIAMOND PATHLIGHT:

About Nightscaping®Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our handcrafted fixtures. Customers who choose Nightscaping* consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 2x2 pathlights are constructed from 11 gauge, 2" SQ, solid steel tubing. The CorTen Steel top is easily removable with a single Alan-head screw. This creates easy access to the luminaires internal components.

Available Finish

The Courtyard Series pathlights are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED module (included).

Lamp Adjustment


Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options

A 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every pathlight. The Courtyard Series Nightscaping® pathlights can also be surface mounted using the brass Universal Mounting Plate (see website for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

Warranty







COURTYARD SERIES ST. JAMES PATHLIGHT:

About Nightscaping®

Since 1959, Nightscaping[®] has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our handcrafted fixtures. Customers who choose Nightscaping? consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 2x2 pathlights are constructed from 11 gauge, 2" SQ, solid steel tubing. The CorTen Steel top is easily removable with a single Alan-head screw. This creates easy access to the luminaires internal components.

Available Finish

The Courtyard Series pathlights are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED module (included).

Lamp Adjustment


Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options

A 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every pathlight. The Courtyard Series Nightscaping® pathlights can also be surface mounted using the brass Universal Mounting Plate (see website for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

Warranty







COURTYARD SERIES WRIGHT GEO PATHLIGHT:

About Nightscaping®

Since 1959, Nightscaping[®] has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our handcrafted fixtures. Customers who choose Nightscaping? consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 2x2 pathlights are constructed from 11 gauge, 2" SQ, solid steel tubing. The CorTen Steel top is easily removable with a single Alan-head screw. This creates easy access to the luminaires internal components.

Available Finish

The Courtyard Series pathlights are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED module (included).

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options


A 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every pathlight. The Courtyard Series Nightscaping® pathlights can also be surface mounted using the brass Universal Mounting Plate (see website for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

Warranty







COURTYARD SERIES DAYLIGHT PATHLIGHT:

About Nightscaping®

Since 1959, Nightscaping has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our handcrafted fixtures. Customers who choose Nightscaping* consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's 2x2 pathlights are constructed from 11 gauge, 2" SQ, solid steel tubing. The CorTen Steel top is easily removable with a single Alan-head screw. This creates easy access to the luminaires internal components.

Available Finish

The Courtyard Series pathlights are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED module (included).

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options

A 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every pathlight. The Courtyard Series Nightscaping® pathlights can also be surface mounted using the brass Universal Mounting Plate (see website for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

Warranty







COURTYARD SERIES CROSSES PATHLIGHT:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our handcrafted fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 2x2 pathlights are constructed from 11 gauge, 2" SQ, solid steel tubing. The CorTen Steel top is easily removable with a single Alan-head screw. This creates easy access to the luminaires internal components.

Available Finish

The Courtyard Series pathlights are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED module (included).

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options

A 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every pathlight. The Courtyard Series Nightscaping® pathlights can also be surface mounted using the brass Universal Mounting Plate (see website for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).









Bollard Shadow Pattern Sheet

CorTen Steel Area Light Garden & Estate Series Bollards

Shadow Pattern Designs:



Ivy Design



Mission Design



Celtic Design



Spiral Design





Bollard Shadow Pattern Sheet

CorTen Steel Area Light Garden & Estate Series Bollards

Shadow Pattern Designs:



Diamond Design



St James Design



Grove Design



Wright Geo Design






Bollard Shadow Pattern Sheet

CorTen Steel Area Light Garden & Estate Series Bollards

Shadow Pattern Designs:




Daylight Design



Crosses Design





GARDEN SERIES IVY BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

BodyNightscaping's® 4x4 Bollards are constructed from 11 gauge, 4" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which the relief of a lowered to eliminate light place.

Available FinishThe Garden Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

The Garden Series Bollards are offered in three different heights - 17", 25", and 37".

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp AdjustmentEach luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options

The Garden Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty







GARDEN SERIES MISSION BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's * 4x4 Bollards are constructed from 11 gauge, 4" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

The Garden Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

The Garden Series Bollards are offered in three different heights - 17", 25", and 37".

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.


Mounting OptionsThe Garden Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty







GARDEN SERIES CELTIC BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

BodyNightscaping's® 4x4 Bollards are constructed from 11 gauge, 4" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

The Garden Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Available Heights

The Garden Series Bollards are offered in three different heights - 17", 25", and 37".

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended LampFor use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options

The Garden Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).







GARDEN SERIES SPIRAL BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Body

Nightscaping's® 4x4 Bollards are constructed from 11 gauge, 4" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

The Garden Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

The Garden Series Bollards are offered in three different heights - 17", 25", and 37".

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.


Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsThe Garden Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty







GARDEN SERIES DIAMOND BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Body

Nightscaping's® 4x4 Bollards are constructed from 11 gauge, 4" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

Available FinishThe Garden Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Available HeightsThe Garden Series Bollards are offered in three different heights - 17", 25", and 37".

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp For use with Nightscaping's* 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options
The Garden Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).







GARDEN SERIES WRIGHT GEO BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Body

Nightscaping's® 4x4 Bollards are constructed from 11 gauge, 4" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

Available FinishThe Garden Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Available HeightsThe Garden Series Bollards are offered in three different heights - 17", 25", and 37".

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp For use with Nightscaping's* 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment


Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsThe Garden Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).







GARDEN SERIES GROVE BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Body

Nightscaping's® 4x4 Bollards are constructed from 11 gauge, 4" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

The Garden Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

The Garden Series Bollards are offered in three different heights - 17", 25", and 37".

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.


Recommended LampFor use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp AdjustmentEach luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsThe Garden Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty







GARDEN SERIES ST. JAMES BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Body

Nightscaping's® 4x4 Bollards are constructed from 11 gauge, 4" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

The Garden Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

The Garden Series Bollards are offered in three different heights - 17", 25", and 37".

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp AdjustmentEach luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsThe Garden Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).







GARDEN SERIES DAYLIGHT BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Body

Nightscaping's * 4x4 Bollards are constructed from 11 gauge, 4" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

Available FinishThe Garden Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Available HeightsThe Garden Series Bollards are offered in three different heights - 17", 25", and 37".

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsThe Garden Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty







GARDEN SERIES CROSSES BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Body

Nights caping's * 4x4 Bollards are constructed from 11 gauge, 4" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

Available FinishThe Garden Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Available HeightsThe Garden Series Bollards are offered in three different heights - 17", 25", and 37".

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsThe Garden Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).


Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty









ESTATE SERIES IVY BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

The Estate Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

The Estate Series Bollards are offered in five different heights - 13", 21", 32", 42" and 80".

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsThe Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).







ESTATE SERIES MISSION BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

Available Finish

The Estate Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Available Heights

The Estate Series Bollards are offered in five different heights - 13", 21", 32", 42" and 80".

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.


Mounting Options

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).







ESTATE SERIES CELTIC BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

BodyNightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

The Estate Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Available Heights

The Estate Series Bollards are offered in five different heights - 13", 21", 32", 42" and 80".

Optimal VoltageRecommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended LampFor use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.


Lamp Adjustment


Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).





ESTATE SERIES SPIRAL BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Body

Nights caping's 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

The Estate Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

The Estate Series Bollards are offered in five different heights - 13", 21", 32", 42" and 80".

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp AdjustmentEach luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsThe Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty







ESTATE SERIES DIAMOND BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

Available FinishThe Estate Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Available HeightsThe Estate Series Bollards are offered in five different heights - 13", 21", 32", 42" and 80".

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp For use with Nightscaping's* 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsThe Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty







ESTATE SERIES ST JAMES BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Body

Nights caping's 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

The Estate Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

The Estate Series Bollards are offered in five different heights - 13", 21", 32", 42" and 80".

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp


For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp AdjustmentEach luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.


Mounting OptionsThe Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate.
The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty







ESTATE SERIES GROVE BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

Available Finish

The Estate Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Available Heights

The Estate Series Bollards are offered in five different heights - 13", 21", 32", 42" and 80".

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty







ESTATE SERIES WRIGHT GEO BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Body

Nights caping's 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

The Estate Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

The Estate Series Bollards are offered in five different heights - 13", 21", 32", 42" and 80".

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp AdjustmentEach luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting OptionsThe Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty







ESTATE SERIES DAYLIGHT BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Body

Nightscaping's 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

Available FinishThe Estate Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Available Heights

The Estate Series Bollards are offered in five different heights - 13", 21", 32", 42" and 80".

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp AdjustmentEach luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options
The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate.
The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).

Warranty





ESTATE SERIES CROSSES BOLLARD:

About Nightscaping®

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. A lifetime structural warranty backs all our Made In USA fixtures. Customers who choose Nightscaping? consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare.

The Estate Series Bollards are available in many different finish options - weathered rust and many custom powder coated finishes. Please see website for details.

Available Heights

The Estate Series Bollards are offered in five different heights - 13", 21", 32", 42" and 80".

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.

Recommended Lamp

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.


Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.


Mounting Options

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).

Wiring 25ft 18AWG, UL Listed, copper wire that is protected by Polyvinyl Chloride (PVC).









Full Line Of Nightscaping Transformers:

- ETL Listed
- UL 1838 Compliant
- · Photocell Options: 1ft, 10ft, 20ft & Custom Lengths
- · Easy To Remove Knockouts
- 12V, 13V, 14V, and 15V Taps (12-22V Availbale)
- · Lockable Latch To Prevent Access
- 15, 40, 75, 150, 300, 600, 900 & 1200W
- · Powder Coated & Stainless Steel Options
- · Proudly Designed & Assembled In West Chester, PA





Type 1 SPD - Surge Protection:

- ETL Listed
- UL 1449 Type 1 Compliant
- 80 KA at 8/20 Pulse
- Waterproof
- · Blue LED Indicator When "ON"
- · 8" ABS Stake & HUB Included
- · 1/2" NPT Thread Fits Standard Ground Stake
- · Protects Unlimited Number Of Luminaires
- · Proudly Designed & Made In USA

Stainless Steel PVC Bollard Mount:

- · Casted Stainless Steel Mount
- SS Mount With Schedule 40 3"x24" PVC Included
- 4-5 Times Faster Installation Times
- · Comes Fully Assembled To Bollard No Assembly Required
- No Need To Pour Time Consuming Concrete Footers
- PVC Mount Works On 4x4 & 6x6 Bollards
- · Proudly Designed In West Chester, PA









Bird Bath Specification Sheet

Estate Series Bird Bath Topper

Bird Bath Design

Bird Bath Topper Series

DESCRIPTION:

The Nightscaping® Bird Bath bollard topper, was inspired by nature and bird lovers from all over the world who love the hobby of backyard bird watching. The Nightscaping Bird Bath topper is a relatively shallow dish with a generous amount of perch space for our feathered friends to splash, drink and warm themselves in the sun after a quick dip. The Bird Bath topper was designed to be an elegant and attractive back yard addition, when nestled into any garden or planting space and paired with any of Nightscaping's medium height bollards for a truly artistic look by day and a stunning source of illumination by night.


Features:

- · Manufactured From US Grade CorTen Steel
- · Fits On Top of Any Estate Series 6x6 Bollard
- Finish: CorTen Rusted Steel (standard) Or Available In A Wide Range Of Custom Colors
- Large Basin For The Birds To Relax/Swim/Cool Off In The Summer Months
- · Removable Top For Easy Cleaning
- Enjoy The Bird Bath's Beauty Day Or Night
- · Proudly Made In West Chester, Pennsylvania

- · Drain Bird Bath In The Winter Months
- Recommended To Change Water Every Two-Three Weeks
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Place Chemicals Into The Bird Bath To Keep The Water Clean Or Use Chemicals To Clean The Bird Bath



Bird Bath Topper Shown Above With The $6x6x42\ Grove\ Design\ Bollard$







Planter Specification Sheet

Estate Series Planter Topper

Planter Design

Planter Topper Series

DESCRIPTION:

The Nightscaping® Planter Topper was inspired by the numerous types of planters that are found in city centers and various other municipal settings that have strong architectural elements but precious little garden space. The strong pops of color from annual floral displays and the strong plant forms that punctuate these city spaces, soften the hard angles found in these thriving metropolises and put us back in touch with nature. The Planter topper is perfectly matched with any of Nightscaping's medium height Estate bollards and is ideally suited for areas around patios, decks and even garden spaces that need a touch of illumination and drama from color in an artistic form.


Features:

- Manufactured From US Grade CorTen Steel
- Fits On Top of Any Estate Series 6x6 Bollard
- Finish: CorTen Rusted Steel (standard) Or Available In A Wide Range Of Custom Colors
- Perfect Planter For Decorative Plants Or Herbs For Your Kitchen
- Built-In Drain To Filter Out Excess Water
- Flared Planter Box Design To Allow For Maximum Planting Space
- · Proudly Made In West Chester, Pennsylvania

- For Outdoor Use Only
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Clean With Chemicals Or Harsh Abrasives



Flower Pot Topper Shown Above With The 6x6x32 St. James Design Bollard







Tiki Torch Specification Sheet

Estate Series Tiki Torch Topper

Prism Design

Tiki Torch Topper Series

DESCRIPTION:

This beautifully handcrafted Prism Design Tiki Torch Topper from Nightscaping® was inspired by Sir Isaac Newton's experiments with light in the 1600s. His work was the beginning of the modern period of both optics and the understanding of light. The three-dimensional shapes on the Prism design Tiki Torch Topper represent the crystalline design of the Prisms Newton would use to separate the colors of the light he was experimenting with. Although your flame won't change color, you will truly enjoy the silhouette design of the faceted diamond shapes as the flames dance and shimmer around inside this unique bollard light tiki topper.

Features:

- Manufactured From US Grade CorTen Steel
- · Fits On Top of Any Estate Series 6x6 Bollard
- Finish: CorTen Rusted Steel (standard) Or Available In A Wide Range Of Custom Colors
- Proven Mosquito Repellent When Using Tiki® Clean Burn™ BiteFighter® Torch Fuel
- Adjustable Fiberglass Wick (0.5" to 8" Flame)
- Snuffer
- 19 Hours of Burn Time For Mosquito Free Outdoor Living
- · Available Designs: Prism
- · Proudly Made In West Chester, Pennsylvania


Directions & Safe Use:

When pouring the Tiki® Torch fuel into the glass tiki torch container, pour slowly. Always store in and dispense Tiki® fuel from original container. Always keep fuel and open flames away from children and pets. For outdoor use only. As with all natural flame products there is an inherent risk, so do not leave the product unattended. For safe use, fully read the product label and follow all warnings and instructions.

- Only Use With Bollards 42" And Taller
- Replace Snuffer Cap After Each Use
- · Only Use With 6" Tiki® Glass Torch Provided
- Recommended Fuel: Tiki® Brand Clean Burn™
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly



Prism Tiki Torch Topper Shown Above With The 6x6x42 Celtic Design Bollard







Mailbox Specification Sheet

Locking Curbside Mailbox Topper

Custom Design

Mailbox Topper Series

DESCRIPTION:

The beautifully handcrafted, locking, security Mailbox Topper from Nightscaping® is your best line of defense against mail and identity theft. With its heavy-duty, 11 gauge steel construction, your mail is guaranteed to be safe. Not only is the Mailbox Topper a great security mailbox, the address plates also illuminate at night allowing your neighbors and friends to easily find your home. Attach the Mailbox Topper to any of Nightscaping's beautifully handcrafted Estate Series Bollards. Your mailbox will sure to be the envy of the neighborhood.

Features:

- Manufactured From US Grade CorTen Steel
- Fits On Top of Any Estate Series 42" Bollard
- Finish: CorTen Rusted Steel (standard) Or Available In A Wide Range Of Custom Colors
- · Custom Address Plate Available
- · Lockable Security Door For Incoming Mail
- Includes 2 Keys
- USPS Approved
- Unrivaled Security & Protection Against Theft
- Choose Any Of Nightscaping's Standard Or Custom Bollards As Decorative Mailbox Posts
- · Proudly Made In West Chester, Pennsylvania


Directions & Safe Use:

When installing the Nightscaping Mailbox Topper and Bollard please follow the installation instructions. Mailbox Topper only available with the Estate Series 6x6x42" Bollard. For outdoor curbside use only.

- · Lock Doors After Each Use
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly



Picture Above Shows Grove Bollard with Copper Vein Powder Coat









ESTATE SERIES AUDIO BOLLARD:

About Nightscaping's® Audio Bollard

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).

Available FinishThe Estate Series Audio Bollards come stock in two finish options - weathered rust and powder coated CopperVein (many more color options available upon request). Please see website for details.

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold seperately and must be specified when Audio Bollard is ordered. Please see website for details.

The Audio Bollards come standard with Nightscaping's 21" bollards (Diamond 21" Bollard Shown). Other Bollard heights offered - 13", 32", 42" and 80".

Optimal Voltage

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.


Recommended LampFor use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

Mounting Options

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).







ESTATE SERIES AUDIO BOLLARD:

About Nightscaping's Audio Bollard
Since 1959, Nightscaping' has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping' partnered with TruAudio' to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping* Audio Bollards powdered by TruAudio* consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

Nightscaping's" 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaires LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).

Available Finish
The Estate Series Audio Bollards come stock in two finish options - weathered rust and powder coated
CopperVein (many more color options available upon request). Please see website for details.

Audio Options
The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold seperately and must be specified when Audio Bollard is ordered. Please see website for details.

Available Heights
The Audio Bollards come standard with Nightscaping's 21" bollards (Diamond 21" Bollard Shown). Other Bollard heights offered - 13", 32", 42" and 80".

Optimal Voltage Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V.


Recommended Lamp For use with Nightscaping's* 2W LED (included), 4W LED or 7W LED modules.

Lamp Adjustment

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.


Mounting Options

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate. The Universal Mounting Plate can either be mounted in the landscape (using the Stainless Steel PVC Stake Mount) or onto a solid surface. (please see Installation Instructions for details).





ESTATE SERIES AUDIO BOLLARD DETAILS:



AS-360 (MUST BE SPECIFIED WHEN ORDERED)




AS-1 (MUST BE SPECIFIED WHEN ORDERED)





ESTATE SERIES AUDIO BOLLARD DETAILS:



AS-360 (MUST BE SPECIFIED WHEN ORDERED)



AS-1
[MUST BE SPECIFIED WHEN ORDERED]







