




# Celtic design Audio Bollard

CE® Audio bollard

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.



## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).


## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE


Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Crosses design Audio Bollard

## CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.



## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE


Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Daylight design Audio Bollard

## CE® Audio bollard

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.




## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE


Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Diamond design Audio Bollard

## CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.



## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE


Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Grove design Audio Bollard

CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.




## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE


Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Ivy design Audio Bollard

## CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.



## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).

## FINISHES



Weathered Steel



Hammered Bronze



Matte Black

## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.






# Spiral design Audio Bollard

CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.



## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).

## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# St James design Audio Bollard

## CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.



## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black

## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Wright Geo design Audio Bollard

## CE® Audio bollard

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.



## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

