



Wright Geo Design

Bollard Light


Wright Geo Design draws inspiration from Frank Lloyd Wright's stained glass triptych at the Avery Coonley Playhouse in Riverside, IL. Wright called it a "kinder symphony". These windows are purely geometric with vibrant primary colors. The arrangement of shapes resembles a controlled chaos of balloons, confetti, and flags, serving as the focal point of the kindergarten operated by Mrs. Coonley.

2 x 2	→	24"			
Width		Height available per width			
4 x 4	→	17"	25"	37"	
Width		Height available per width			
6 x 6	→	13"	21"	32"	42"
Width		Height available per width	80"		

MATERIAL

Nightscaping's® bollards are constructed from 11 gauge, square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

FINISHES




Rust



Hammered
Bronze



Black



MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

Nightscaping®
SINCE 1999

RECOMMENDED LAMP
2W
LED module
(INCLUDED)

STRUCTURAL LIFETIME
★ ★ ★ ★ ★
WARRANTY

