

*Nightscaping*<sup>®</sup>  
SINCE 1959

CATALOG



*Nightscaping*<sup>®</sup>  
HANDCRAFTED IN THE USA SINCE 1959

## About Nightscaping<sup>®</sup>

Since 1959, Nightscaping<sup>®</sup> has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations.

Customers who choose Nightscaping<sup>®</sup> consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.

835 Lincoln Ave., Suite #13  
West Chester, PA 19380  
[www.NightscapingUSA.com](http://www.NightscapingUSA.com)






**Bollards**  
BOLLARD LIGHTS  
PAGE 04



**Tiki Torch**  
BOLLARD TOPPER  
PAGE 17



**Bird bath**  
BOLLARD TOPPER  
PAGE 29



**Planter**  
BOLLARD TOPPER  
PAGE 41



**Audio Bollard**  
Powered by TRUAUDIO  
PAGE 53



**Mailbox Bollards**  
BOLLARD TOPPER  
PAGE 64



**Address Bollards**  
Made To Order  
PAGE 76



**Custom Bollards**  
Made To Order  
PAGE 88



**Pendantlites**  
HANGING LIGHTS  
PAGE 90



**Bistro Series**  
Light Strings & Bistolites  
PAGE 96

# Nightscaping® Lightning Arrestor

Surge Protection Series



The Nightscaping® Lightning Arrestor is a Type 1 device, designed for outdoor applications. Engineered for both AC and DC electric systems, it protects both magnetic and electronic power supplies and LED/ Incandescent luminaires without interfering with the GFP protection circuit, it provides protection to service panels, load centers or where the Lightning Arrestor is directly connected to the electronic device(s) requiring protection.

Note: Maximum protection will only be achieved if the Lightning Arrestor is properly installed. Please read the Lightning Arrestor installation manual carefully and follow the instructions.

The Nightscaping® Lightning Arrestor provides maximum protection by reducing the clamping voltage to a safe voltage that your system can sustain without damaging any of the electrical components. Installing the Nightscaping® Lightning Arrestor will provide excellent protection and peace of mind for many years to come.

## Features

---

ETL Listed

---

UL 1449 Type 1 Compliant

---

80 KA at 8/20 Pulse

---

Waterproof

---

Blue LED Indicator When "ON"

---

1/2" NPT Thread - Fits Standard Ground Stake

---

Protects Unlimited Number Of Luminaires

---

Proudly Designed & Made In Arlington, WA, USA

## Other features

---

**NOMINAL VOLTAGE:** 0 to 90VAC & 0 to 115VDC

---

**MCOV VRMS @ 1mA:** 180V (162-198)

---

**CLAMP V @ 100A CURRENT 8/20 PULSE:** 295V

---

**ENERGY ABSORPTION:** 1120J (Full Device)

---

**OPERATING TEMPERATURE:** -40°C To +85°C

---

**NOMINAL DISCHARGE CURRENT:** 20kA

---

**THERMAL DISCONNECTOR:** Internal

---

**RESPONSE TIME:** <15n sec



**DANGER:** Electrical shock or burn hazard. Installation of this Lightning Arrestor should only be done by qualified personnel. Failure to lockout electrical power during installation or maintenance can result in fatal electrocution or severe burns.



**CAUTION:** Ungrounded power systems are inherently unstable and can allow excessively high line-to-ground voltages during certain fault conditions. During these fault conditions any electrical equipment, including a Lightning Arrestor, may be subjected to voltages which exceed their designed ratings. This information is being provided to the user so that an informed decision can be made before installing any electrical equipment on an ungrounded power system.



**CAUTION:** This unit must be installed in accordance with the National Electrical Code (ANSI/NFPA-70) and applicable local codes.

\*\*Please note Ground Rod Electrode (GRE) not included with NSPD. Refer to NEC code for length of GRE.\*\*

*Nightscaping*®  
SINCE 1959



# Bollard Lights




# Bollard Lights




Celtic Design  
PAGE 06



Crosses Design  
PAGE 07



Daylight Design  
PAGE 08



Diamond Design  
PAGE 09



Grove Design  
PAGE 10



Ivy Design  
PAGE 11



Millennial Design  
PAGE 12




Mission Design  
PAGE 13



Spiral Design  
PAGE 14



St James Design  
PAGE 15



Wright Geo  
PAGE 16

# Celtic Design

## CE® Bollard Light

The Nightscaping® Celtic design bollards draw inspiration from the many Celtic and Moorish designs that were weaved into fabric and textiles from that early era. The Celtic design displays the archetypical circle and cross pattern in a single row that ascends from the base of the fixture to the top, creating a very uniform but interesting shadow pattern on the adjacent ground and plant material.

2 x 2	→	24"				
Width		Height available per width				
4 x 4	→	17"	25"	37"		
Width		Height available per width				
6 x 6	→	13"	21"	32"	42"	80"
Width		Height available per width				

## MATERIAL

Nightscaping's® bollards are constructed from 11 gauge, square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.


## FINISHES




Rust



Hammered Bronze



Black



## MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.





# Crosses Design

CE® Bollard Light



The Nightscaping® Cross design bollard is ideally suited for semi formal and orderly gardens where a classic, symmetrical pattern is desired. Drawing its interpretation from the French fleur-de-lis pattern, the shadows emitted from this fixture form a stunning chain of interlinking shadows surrounded by light.

2 x 2	→	24"				
Width		Height available per width				
4 x 4	→	17"	25"	37"		
Width		Height available per width				
6 x 6	→	13"	21"	32"	42"	80"
Width		Height available per width				

## MATERIAL

Nightscaping's® bollards are constructed from 11 gauge, square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES



## MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.





# Daylight Design

## Bollard Light

The Daylight Design by Nightscaping® embodies a sleek and minimalist aesthetic, ideal for contemporary landscapes. Its clean design casts clear light with a modern touch while highlighting the beauty of your outdoor space.

2 x 2	→	24"				
Width		Height available per width				
4 x 4	→	17"	25"	37"		
Width		Height available per width				
6 x 6	→	13"	21"	32"	42"	80"
Width		Height available per width				

## MATERIAL

Nightscaping's® bollards are constructed from 11 gauge, square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES



Rust



Hammered Bronze



Black



## MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Diamond Design

## CE® Bollard Light

The Nightscaping® Diamond design bollard was created by one of Nightscaping's top designers after his trip to visit the University of Sheffield where he fell in love with the modern geometric shapes of the Faculty of Engineering building. The diamond shapes found throughout the buildings modern architecture inspired him to create one of Nightscaping's bestselling bollards. The elongated shapes of the diamonds, combined with the continuous effect design that wraps around all four sides of the fixture, provides an uninterrupted geometric pattern that is juxtaposed to the natural forms of the landscape plantings, which is simply striking.

2 x 2	→	24"				
Width		Height available per width				
4 x 4	→	17"	25"	37"		
Width		Height available per width				
6 x 6	→	13"	21"	32"	42"	80"
Width		Height available per width				



## MATERIAL

Nightscaping's® bollards are constructed from 11 gauge, square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES




Rust



Hammered  
Bronze



Black



## MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Grove Design

## CE® Bollard Light


The Nightscaping® Grove design draws its inspiration from the elegant and beautiful Aspen tree which grows naturally in the mountains and gardens of the Western United States. Considered to be the largest living organism on Earth, a 160-acre grove of Aspens in Utah covers more than 106 acres of land and is all from one original tree. This tree variety is also commonly referred to as a “Quaking Aspen”, due to the characteristic nature of its leaves which appear to tremble in the wind.



## MATERIAL

Nightscaping's® bollards are constructed from 11 gauge, square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.


## FINISHES



Rust



Hammered  
Bronze



Black



## MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Ivy Design

## CE® Bollard Light

The Nightscaping® Ivy design light bollard is inspired by the many various forms of vines and climbing plants from across the world. The climbing leaves almost appear to be clamoring up the side of the fixture in a race to the top. The design contains a rather generic leaf shape which can be used in any type of garden or setting that is Ivy inspired.

2 x 2	→	24"				
Width		Height available per width				
4 x 4	→	17"	25"	37"		
Width		Height available per width				
6 x 6	→	13"	21"	32"	42"	80"
Width		Height available per width				




## MATERIAL

Nightscaping's® bollards are constructed from 11 gauge, square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES



Rust



Hammered  
Bronze



Black



## MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1999

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY



# Millennial Design

## Bollard Light

Millennial Design bollard is a handcrafted, modern, pathway light that effortlessly combines form and function, enhancing outdoor spaces with its sleek and contemporary design. The Millennial walkway light features clean lines and a minimalist aesthetic that seamlessly integrates with modern landscapes. Emitting a warm and inviting glow, the LED technology within the fixture ensures energy efficiency and long-lasting illumination. Whether lining a garden walkway or adorning a contemporary patio, the modern pathway light not only guides footsteps but also adds a touch of sophisticated style to outdoor environments, creating a harmonious blend of practicality and aesthetics.



## MATERIAL

Nightscaping's® Millennial Bollards are constructed from 11 gauge, SQ, solid steel tubing. The Cor-Ten Steel top is easily removable with a single Alan-head screw. This creates easy access to the luminaire's internal components.

## FINISHES




Rust



Hammered Bronze



Black



## MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.





# Mission Design

## CE® Bollard Light


The Nightscaping® Mission design light bollard recalls the old-world days when lanterns were an everyday item. Though primarily used to prevent a burning candle or wick being extinguished from wind or rain, another important function was to reduce the risk of fire. This was especially important below deck on wooden ships. Use of unguarded lights was taken so seriously that obligatory use of lanterns, rather than unprotected flames below decks was written into one of the few known remaining examples of a pirate code, on pain of severe punishment (article VI of Captain John Phillips's articles). The term used was "lanthorn", believed to be due to popular etymology, from the early use of horn windows in lanterns. The patterns and look of the Mission landscape lighting fixture are simply beautiful and remind us of those long-gone days of old.

2 x 2	→	24"				
Width		Height available per width				
4 x 4	→	17"	25"	37"		
Width		Height available per width				
6 x 6	→	13"	21"	32"	42"	80"
Width		Height available per width				

## MATERIAL

Nightscaping's® bollards are constructed from 11 gauge, square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES




Rust



Hammered  
Bronze



Black



## MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Spiral Design

## Bollard Light

The Nightscaping® Spiral design bollard reflects the whimsical pictograph forms found in the desert Southwest landscape. Indigenous people who lived in the western US would etch their life stories into nearby sandstone cave walls. This design is one of Nightscaping's more popular designs thanks to its stunning shadow patterns.




2 x 2	→	24"				
Width		Height available per width				
4 x 4	→	17"	25"	37"		
Width		Height available per width				
6 x 6	→	13"	21"	32"	42"	80"
Width		Height available per width				

## MATERIAL

Nightscaping's® bollards are constructed from 11 gauge, square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.


## FINISHES




Rust



Hammered  
Bronze



Black



## MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.





# St James Design

CE® Bollard Light

The Nightscaping® St. James design is reminiscent of the formal Knot and Parterre garden designs of the French provincial and English Elizabethan era, which were dominated by clipped evergreen hedges shaped in precise geometric patterns and then filled with contrasting floral displays.

2 x 2	→	24"				
Width		Height available per width				
4 x 4	→	17"	25"	37"		
Width		Height available per width				
6 x 6	→	13"	21"	32"	42"	80"
Width		Height available per width				

## MATERIAL

Nightscaping's® bollards are constructed from 11 gauge, square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.


## FINISHES




Rust



Hammered Bronze



Black



## MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.




# Wright Geo Design

## Bollard Light

Wright Geo Design draws inspiration from Frank Lloyd Wright's stained glass triptych at the Avery Coonley Playhouse in Riverside, IL. Wright called it a "kinder symphony". These windows are purely geometric with vibrant primary colors. The arrangement of shapes resembles a controlled chaos of balloons, confetti, and flags, serving as the focal point of the kindergarten operated by Mrs. Coonley.

2 x 2	→	24"				
Width		Height available per width				
4 x 4	→	17"	25"	37"		
Width		Height available per width				
6 x 6	→	13"	21"	32"	42"	80"
Width		Height available per width				



## MATERIAL

Nightscaping's® bollards are constructed from 11 gauge, square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES




Rust



Hammered Bronze



Black



## MOUNTING OPTIONS

For the 2x2's, a 14", ABS injection molded, plastic stake with 1/2" NPS threaded female fitting is included with every luminaire. For the 4x4 and 6x6s, a stainless steel PVC mount is available. The Nightscaping® bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.




# Tiki Torch Bollard Topper



# Tiki Torch Bollard Topper



Celtic Design  
PAGE 19



Crosses Design  
PAGE 20




Daylight Design  
PAGE 21



Diamond Design  
PAGE 22



Grove Design  
PAGE 23



Ivy Design  
PAGE 24



Mission Design  
PAGE 25



Spiral Design  
PAGE 26



St. James Design  
PAGE 27



Wright Geo Design  
PAGE 28



# Celtic design Tiki Torch Bollard

CE® Bollard Toppers

This beautifully handcrafted Prism Design Tiki Torch Topper from Nightscaping® was inspired by Sir Isaac Newton's experiments with light in the 1600s. His work was the beginning of the modern period of both optics and the understanding of light. The three-dimensional shapes on the Prism design Tiki Torch Topper pair well with any of the Nightscaping bollard designs. You will truly enjoy the silhouette design of the faceted diamond shapes as the flames dance and shimmer around inside this unique bollard light tiki torch.



Width

Height available per width

## FEATURES

- Manufactured From US Grade Steel
- Proven Mosquito Repellent Using Tiki Torch Fuel
- Adjustable Fiberglass Wick (0.5" to 8" Flame) Snuffer
- 19 Hours of Burn Time For Mosquito Free Outdoor Living
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

When pouring the Tiki® Torch fuel into the glass tiki torch container, pour slowly. Always store in and dispense Tiki® fuel from original container. Always keep fuel and open flames away from children and pets. For outdoor use only. As with all natural flame products there is an inherent risk, so do not leave the product unattended. For safe use, fully read the product label and follow all warnings and instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY

# Crosses design Tiki Torch Bollard

## CE® Bollard Toppers

This beautifully handcrafted Prism Design Tiki Torch Topper from Nightscaping® was inspired by Sir Isaac Newton's experiments with light in the 1600s. His work was the beginning of the modern period of both optics and the understanding of light. The three-dimensional shapes on the Prism design Tiki Torch Topper pair well with any of the Nightscaping bollard designs. You will truly enjoy the silhouette design of the faceted diamond shapes as the flames dance and shimmer around inside this unique bollard light tiki torch.




## FEATURES

- Manufactured From US Grade Steel
- Proven Mosquito Repellent Using Tiki Torch Fuel
- Adjustable Fiberglass Wick (0.5" to 8" Flame) Snuffer
- 19 Hours of Burn Time For Mosquito Free Outdoor Living
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

When pouring the Tiki® Torch fuel into the glass tiki torch container, pour slowly. Always store in and dispense Tiki® fuel from original container. Always keep fuel and open flames away from children and pets. For outdoor use only. As with all natural flame products there is an inherent risk, so do not leave the product unattended. For safe use, fully read the product label and follow all warnings and instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY



# Daylight design Tiki Torch Bollard

## Bollard Toppers

This beautifully handcrafted Prism Design Tiki Torch Topper from Nightscaping® was inspired by Sir Isaac Newton's experiments with light in the 1600s. His work was the beginning of the modern period of both optics and the understanding of light. The three-dimensional shapes on the Prism design Tiki Torch Topper pair well with any of the Nightscaping bollard designs. You will truly enjoy the silhouette design of the faceted diamond shapes as the flames dance and shimmer around inside this unique bollard light tiki torch.



Width

Height available per width

## FEATURES

- Manufactured From US Grade Steel
- Proven Mosquito Repellent Using Tiki Torch Fuel
- Adjustable Fiberglass Wick (0.5" to 8" Flame) Snuffer
- 19 Hours of Burn Time For Mosquito Free Outdoor Living
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

When pouring the Tiki® Torch fuel into the glass tiki torch container, pour slowly. Always store in and dispense Tiki® fuel from original container. Always keep fuel and open flames away from children and pets. For outdoor use only. As with all natural flame products there is an inherent risk, so do not leave the product unattended. For safe use, fully read the product label and follow all warnings and instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.





# Diamond design Tiki Torch Bollard

CE® Bollard Toppers

This beautifully handcrafted Prism Design Tiki Torch Topper from Nightscaping® was inspired by Sir Isaac Newton's experiments with light in the 1600s. His work was the beginning of the modern period of both optics and the understanding of light. The three-dimensional shapes on the Prism design Tiki Torch Topper pair well with any of the Nightscaping bollard designs. You will truly enjoy the silhouette design of the faceted diamond shapes as the flames dance and shimmer around inside this unique bollard light tiki torch.



## FEATURES

- Manufactured From US Grade Steel
- Proven Mosquito Repellent Using Tiki Torch Fuel
- Adjustable Fiberglass Wick (0.5" to 8" Flame) Snuffer
- 19 Hours of Burn Time For Mosquito Free Outdoor Living
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

When pouring the Tiki® Torch fuel into the glass tiki torch container, pour slowly. Always store in and dispense Tiki® fuel from original container. Always keep fuel and open flames away from children and pets. For outdoor use only. As with all natural flame products there is an inherent risk, so do not leave the product unattended. For safe use, fully read the product label and follow all warnings and instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.





# Grove design Tiki Torch Bollard

CE® Bollard Toppers

This beautifully handcrafted Prism Design Tiki Torch Topper from Nightscaping® was inspired by Sir Isaac Newton's experiments with light in the 1600s. His work was the beginning of the modern period of both optics and the understanding of light. The three-dimensional shapes on the Prism design Tiki Torch Topper pair well with any of the Nightscaping bollard designs. You will truly enjoy the silhouette design of the faceted diamond shapes as the flames dance and shimmer around inside this unique bollard light tiki torch.



Width

Height available per width

## FEATURES

- Manufactured From US Grade Steel
- Proven Mosquito Repellent Using Tiki Torch Fuel
- Adjustable Fiberglass Wick (0.5" to 8" Flame) Snuffer
- 19 Hours of Burn Time For Mosquito Free Outdoor Living
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

When pouring the Tiki® Torch fuel into the glass tiki torch container, pour slowly. Always store in and dispense Tiki® fuel from original container. Always keep fuel and open flames away from children and pets. For outdoor use only. As with all natural flame products there is an inherent risk, so do not leave the product unattended. For safe use, fully read the product label and follow all warnings and instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY



# Ivy design Tiki Torch Bollard

CE® Bollard Toppers

This beautifully handcrafted Prism Design Tiki Torch Topper from Nightscaping® was inspired by Sir Isaac Newton's experiments with light in the 1600s. His work was the beginning of the modern period of both optics and the understanding of light. The three-dimensional shapes on the Prism design Tiki Torch Topper pair well with any of the Nightscaping bollard designs. You will truly enjoy the silhouette design of the faceted diamond shapes as the flames dance and shimmer around inside this unique bollard light tiki torch.



Width

Height available per width

## FEATURES

- Manufactured From US Grade Steel
- Proven Mosquito Repellent Using Tiki Torch Fuel
- Adjustable Fiberglass Wick (0.5" to 8" Flame) Snuffer
- 19 Hours of Burn Time For Mosquito Free Outdoor Living
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

When pouring the Tiki® Torch fuel into the glass tiki torch container, pour slowly. Always store in and dispense Tiki® fuel from original container. Always keep fuel and open flames away from children and pets. For outdoor use only. As with all natural flame products there is an inherent risk, so do not leave the product unattended. For safe use, fully read the product label and follow all warnings and instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1999

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY



# Mission design Tiki Torch Bollard

CE® Bollard Toppers

This beautifully handcrafted Prism Design Tiki Torch Topper from Nightscaping® was inspired by Sir Isaac Newton's experiments with light in the 1600s. His work was the beginning of the modern period of both optics and the understanding of light. The three-dimensional shapes on the Prism design Tiki Torch Topper pair well with any of the Nightscaping bollard designs. You will truly enjoy the silhouette design of the faceted diamond shapes as the flames dance and shimmer around inside this unique bollard light tiki torch.



## FEATURES

- Manufactured From US Grade Steel
- Proven Mosquito Repellent Using Tiki Torch Fuel
- Adjustable Fiberglass Wick (0.5" to 8" Flame) Snuffer
- 19 Hours of Burn Time For Mosquito Free Outdoor Living
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

When pouring the Tiki® Torch fuel into the glass tiki torch container, pour slowly. Always store in and dispense Tiki® fuel from original container. Always keep fuel and open flames away from children and pets. For outdoor use only. As with all natural flame products there is an inherent risk, so do not leave the product unattended. For safe use, fully read the product label and follow all warnings and instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY



# Spiral design Tiki Torch Bollard

## Bollard Toppers

This beautifully handcrafted Prism Design Tiki Torch Topper from Nightscaping® was inspired by Sir Isaac Newton's experiments with light in the 1600s. His work was the beginning of the modern period of both optics and the understanding of light. The three-dimensional shapes on the Prism design Tiki Torch Topper pair well with any of the Nightscaping bollard designs. You will truly enjoy the silhouette design of the faceted diamond shapes as the flames dance and shimmer around inside this unique bollard light tiki torch.



Width

Height available per width

## FEATURES

- Manufactured From US Grade Steel
- Proven Mosquito Repellent Using Tiki Torch Fuel
- Adjustable Fiberglass Wick (0.5" to 8" Flame) Snuffer
- 19 Hours of Burn Time For Mosquito Free Outdoor Living
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

When pouring the Tiki® Torch fuel into the glass tiki torch container, pour slowly. Always store in and dispense Tiki® fuel from original container. Always keep fuel and open flames away from children and pets. For outdoor use only. As with all natural flame products there is an inherent risk, so do not leave the product unattended. For safe use, fully read the product label and follow all warnings and instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.





# St. James design Tiki Torch Bollard

CE® Bollard Toppers

This beautifully handcrafted Prism Design Tiki Torch Topper from Nightscaping® was inspired by Sir Isaac Newton's experiments with light in the 1600s. His work was the beginning of the modern period of both optics and the understanding of light. The three-dimensional shapes on the Prism design Tiki Torch Topper pair well with any of the Nightscaping bollard designs. You will truly enjoy the silhouette design of the faceted diamond shapes as the flames dance and shimmer around inside this unique bollard light tiki torch.



## FEATURES

- Manufactured From US Grade Steel
- Proven Mosquito Repellent Using Tiki Torch Fuel
- Adjustable Fiberglass Wick (0.5" to 8" Flame) Snuffer
- 19 Hours of Burn Time For Mosquito Free Outdoor Living
- Proudly Made In West Chester, Pennsylvania


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

When pouring the Tiki® Torch fuel into the glass tiki torch container, pour slowly. Always store in and dispense Tiki® fuel from original container. Always keep fuel and open flames away from children and pets. For outdoor use only. As with all natural flame products there is an inherent risk, so do not leave the product unattended. For safe use, fully read the product label and follow all warnings and instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V


STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY

# Wright Geo design Tiki Torch Bollard

## Bollard Toppers

This beautifully handcrafted Prism Design Tiki Torch Topper from Nightscaping® was inspired by Sir Isaac Newton's experiments with light in the 1600s. His work was the beginning of the modern period of both optics and the understanding of light. The three-dimensional shapes on the Prism design Tiki Torch Topper pair well with any of the Nightscaping bollard designs. You will truly enjoy the silhouette design of the faceted diamond shapes as the flames dance and shimmer around inside this unique bollard light tiki torch.



Width

Height available per width

## FEATURES

- Manufactured From US Grade Steel
- Proven Mosquito Repellent Using Tiki Torch Fuel
- Adjustable Fiberglass Wick (0.5" to 8" Flame) Snuffer
- 19 Hours of Burn Time For Mosquito Free Outdoor Living
- Proudly Made In West Chester, Pennsylvania


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

When pouring the Tiki® Torch fuel into the glass tiki torch container, pour slowly. Always store in and dispense Tiki® fuel from original container. Always keep fuel and open flames away from children and pets. For outdoor use only. As with all natural flame products there is an inherent risk, so do not leave the product unattended. For safe use, fully read the product label and follow all warnings and instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY


# Bird Bath Bollard Topper



# Bird Bath Bollard Topper



Celtic Design  
PAGE 31



Crosses Design  
PAGE 32



Daylight Design  
PAGE 33



Diamond Design  
PAGE 34



Grove Design  
PAGE 35



Ivy Design  
PAGE 36



Mission Design  
PAGE 37



Spiral Design  
PAGE 38



St. James Design  
PAGE 39




Wright Geo Design  
PAGE 40



# Celtic design Bird bath Bollard

## CE® Bollard Toppers

Bird Bath Light Bollards are a charming addition to any garden, combining the elegance of a bird bath with the practicality of garden lighting. These unique light bollards offer a serene spot for birds to drink and bathe while illuminating walkways with a gentle glow. Available in a range of designs and sizes, Nightscaping's bird bath light bollards can seamlessly blend into different garden aesthetics, enhancing both day and night-time appeal. The subtle lighting not only improves safety but also creates a tranquil ambiance, highlighting the natural features of your landscape. Perfect for bird enthusiasts and garden lovers alike, these bollards add a touch of enchantment and functionality to outdoor spaces.



### FEATURED

- Manufactured From US Grade CorTen Steel
- Large Basin For The Birds To Relax/Swim/Cool Off in the summer months
- Removable Top For Easy Cleaning
- Enjoy The Bird Bath's Beauty Day Or Night
- Proudly Made In West Chester, Pennsylvania

### FINISHES



Weathered Steel



Hammered Bronze



Matte Black



### DIRECTIONS & SAFE USE

- Drain Bird Bath in the winter months
- Recommended to change water every two-three weeks
- Ensure the four topper set screws are tightened securely & properly
- Do not place chemicals into the Bird Bath to keep the water clean or use chemicals to clean the Bird Bath

### LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

### OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Crosses design Bird bath Bollard

## CE® Bollard Toppers


Bird Bath Light Bollards are a charming addition to any garden, combining the elegance of a bird bath with the practicality of garden lighting. These unique light bollards offer a serene spot for birds to drink and bathe while illuminating walkways with a gentle glow. Available in a range of designs and sizes, Nightscaping's bird bath light bollards can seamlessly blend into different garden aesthetics, enhancing both day and night-time appeal. The subtle lighting not only improves safety but also creates a tranquil ambiance, highlighting the natural features of your landscape. Perfect for bird enthusiasts and garden lovers alike, these bollards add a touch of enchantment and functionality to outdoor spaces.

6 x 6	→	21"	32"	42"
Width		Height		

## FEATURED

- Manufactured From US Grade CorTen Steel
- Large Basin For The Birds To Relax/Swim/Cool Off in the summer months
- Removable Top For Easy Cleaning
- Enjoy The Bird Bath's Beauty Day Or Night
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black

## DIRECTIONS & SAFE USE

- Drain Bird Bath in the winter months
- Recommended to change water every two-three weeks
- Ensure the four topper set screws are tightened securely & properly
- Do not place chemicals into the Bird Bath to keep the water clean or use chemicals to clean the Bird Bath

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY



# Daylight design Bird bath Bollard

## Bollard Toppers

Bird Bath Light Bollards are a charming addition to any garden, combining the elegance of a bird bath with the practicality of garden lighting. These unique light bollards offer a serene spot for birds to drink and bathe while illuminating walkways with a gentle glow. Available in a range of designs and sizes, Nightscaping's bird bath light bollards can seamlessly blend into different garden aesthetics, enhancing both day and night-time appeal. The subtle lighting not only improves safety but also creates a tranquil ambiance, highlighting the natural features of your landscape. Perfect for bird enthusiasts and garden lovers alike, these bollards add a touch of enchantment and functionality to outdoor spaces.


6 x 6	→	21"	32"	42"
Width		Height		



## FEATURED

- Manufactured From US Grade CorTen Steel
- Large Basin For The Birds To Relax/Swim/Cool Off in the summer months
- Removable Top For Easy Cleaning
- Enjoy The Bird Bath's Beauty Day Or Night
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

- Drain Bird Bath in the winter months
- Recommended to change water every two-three weeks
- Ensure the four topper set screws are tightened securely & properly
- Do not place chemicals into the Bird Bath to keep the water clean or use chemicals to clean the Bird Bath

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V


STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY



# Diamond design Bird bath Bollard

## CE® Bollard Toppers

Bird Bath Light Bollards are a charming addition to any garden, combining the elegance of a bird bath with the practicality of garden lighting. These unique light bollards offer a serene spot for birds to drink and bathe while illuminating walkways with a gentle glow. Available in a range of designs and sizes, Nightscaping's bird bath light bollards can seamlessly blend into different garden aesthetics, enhancing both day and night-time appeal. The subtle lighting not only improves safety but also creates a tranquil ambiance, highlighting the natural features of your landscape. Perfect for bird enthusiasts and garden lovers alike, these bollards add a touch of enchantment and functionality to outdoor spaces.




Width

Height

## FEATURED

- Manufactured From US Grade CorTen Steel
- Large Basin For The Birds To Relax/Swim/Cool Off in the summer months
- Removable Top For Easy Cleaning
- Enjoy The Bird Bath's Beauty Day Or Night
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black

## DIRECTIONS & SAFE USE

- Drain Bird Bath in the winter months
- Recommended to change water every two-three weeks
- Ensure the four topper set screws are tightened securely & properly
- Do not place chemicals into the Bird Bath to keep the water clean or use chemicals to clean the Bird Bath

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY

# Grove design Bird bath Bollard

## CE® Bollard Toppers


Bird Bath Light Bollards are a charming addition to any garden, combining the elegance of a bird bath with the practicality of garden lighting. These unique light bollards offer a serene spot for birds to drink and bathe while illuminating walkways with a gentle glow. Available in a range of designs and sizes, Nightscaping's bird bath light bollards can seamlessly blend into different garden aesthetics, enhancing both day and night-time appeal. The subtle lighting not only improves safety but also creates a tranquil ambiance, highlighting the natural features of your landscape. Perfect for bird enthusiasts and garden lovers alike, these bollards add a touch of enchantment and functionality to outdoor spaces.

6 x 6	→	21"	32"	42"
Width		Height		


## FEATURED

- Manufactured From US Grade CorTen Steel
- Large Basin For The Birds To Relax/Swim/Cool Off in the summer months
- Removable Top For Easy Cleaning
- Enjoy The Bird Bath's Beauty Day Or Night
- Proudly Made In West Chester, Pennsylvania


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black

## DIRECTIONS & SAFE USE

- Drain Bird Bath in the winter months
- Recommended to change water every two-three weeks
- Ensure the four topper set screws are tightened securely & properly
- Do not place chemicals into the Bird Bath to keep the water clean or use chemicals to clean the Bird Bath

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY






# Ivy design Bird bath Bollard

## CE® Bollard Toppers


Bird Bath Light Bollards are a charming addition to any garden, combining the elegance of a bird bath with the practicality of garden lighting. These unique light bollards offer a serene spot for birds to drink and bathe while illuminating walkways with a gentle glow. Available in a range of designs and sizes, Nightscaping's bird bath light bollards can seamlessly blend into different garden aesthetics, enhancing both day and night-time appeal. The subtle lighting not only improves safety but also creates a tranquil ambiance, highlighting the natural features of your landscape. Perfect for bird enthusiasts and garden lovers alike, these bollards add a touch of enchantment and functionality to outdoor spaces.




## FEATURED

- Manufactured From US Grade CorTen Steel
- Large Basin For The Birds To Relax/Swim/Cool Off in the summer months
- Removable Top For Easy Cleaning
- Enjoy The Bird Bath's Beauty Day Or Night
- Proudly Made In West Chester, Pennsylvania


## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



## DIRECTIONS & SAFE USE

- Drain Bird Bath in the winter months
- Recommended to change water every two-three weeks
- Ensure the four topper set screws are tightened securely & properly
- Do not place chemicals into the Bird Bath to keep the water clean or use chemicals to clean the Bird Bath

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE


Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Mission design Bird bath Bollard

## CE® Bollard Toppers

Bird Bath Light Bollards are a charming addition to any garden, combining the elegance of a bird bath with the practicality of garden lighting. These unique light bollards offer a serene spot for birds to drink and bathe while illuminating walkways with a gentle glow. Available in a range of designs and sizes, Nightscaping's bird bath light bollards can seamlessly blend into different garden aesthetics, enhancing both day and night-time appeal. The subtle lighting not only improves safety but also creates a tranquil ambiance, highlighting the natural features of your landscape. Perfect for bird enthusiasts and garden lovers alike, these bollards add a touch of enchantment and functionality to outdoor spaces.




Width

Height

## FEATURED

- Manufactured From US Grade CorTen Steel
- Large Basin For The Birds To Relax/Swim/Cool Off in the summer months
- Removable Top For Easy Cleaning
- Enjoy The Bird Bath's Beauty Day Or Night
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black

## DIRECTIONS & SAFE USE

- Drain Bird Bath in the winter months
- Recommended to change water every two-three weeks
- Ensure the four topper set screws are tightened securely & properly
- Do not place chemicals into the Bird Bath to keep the water clean or use chemicals to clean the Bird Bath

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1999

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY


DARK SKY FRIENDLY



# Spiral design Bird bath Bollard

## Bollard Toppers


Bird Bath Light Bollards are a charming addition to any garden, combining the elegance of a bird bath with the practicality of garden lighting. These unique light bollards offer a serene spot for birds to drink and bathe while illuminating walkways with a gentle glow. Available in a range of designs and sizes, Nightscaping's bird bath light bollards can seamlessly blend into different garden aesthetics, enhancing both day and night-time appeal. The subtle lighting not only improves safety but also creates a tranquil ambiance, highlighting the natural features of your landscape. Perfect for bird enthusiasts and garden lovers alike, these bollards add a touch of enchantment and functionality to outdoor spaces.



## FEATURED

- Manufactured From US Grade CorTen Steel
- Large Basin For The Birds To Relax/Swim/Cool Off in the summer months
- Removable Top For Easy Cleaning
- Enjoy The Bird Bath's Beauty Day Or Night
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

- Drain Bird Bath in the winter months
- Recommended to change water every two-three weeks
- Ensure the four topper set screws are tightened securely & properly
- Do not place chemicals into the Bird Bath to keep the water clean or use chemicals to clean the Bird Bath

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY






# St James design Bird bath Bollard

## CE® Bollard Toppers


Bird Bath Light Bollards are a charming addition to any garden, combining the elegance of a bird bath with the practicality of garden lighting. These unique light bollards offer a serene spot for birds to drink and bathe while illuminating walkways with a gentle glow. Available in a range of designs and sizes, Nightscaping's bird bath light bollards can seamlessly blend into different garden aesthetics, enhancing both day and night-time appeal. The subtle lighting not only improves safety but also creates a tranquil ambiance, highlighting the natural features of your landscape. Perfect for bird enthusiasts and garden lovers alike, these bollards add a touch of enchantment and functionality to outdoor spaces.



## FEATURED

- Manufactured From US Grade CorTen Steel
- Large Basin For The Birds To Relax/Swim/Cool Off in the summer months
- Removable Top For Easy Cleaning
- Enjoy The Bird Bath's Beauty Day Or Night
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



## DIRECTIONS & SAFE USE

- Drain Bird Bath in the winter months
- Recommended to change water every two-three weeks
- Ensure the four topper set screws are tightened securely & properly
- Do not place chemicals into the Bird Bath to keep the water clean or use chemicals to clean the Bird Bath

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Wright Geo design Bird bath Bollard

## Bollard Toppers


Bird Bath Light Bollards are a charming addition to any garden, combining the elegance of a bird bath with the practicality of garden lighting. These unique light bollards offer a serene spot for birds to drink and bathe while illuminating walkways with a gentle glow. Available in a range of designs and sizes, Nightscaping's bird bath light bollards can seamlessly blend into different garden aesthetics, enhancing both day and night-time appeal. The subtle lighting not only improves safety but also creates a tranquil ambiance, highlighting the natural features of your landscape. Perfect for bird enthusiasts and garden lovers alike, these bollards add a touch of enchantment and functionality to outdoor spaces.

6 x 6	→	21"	32"	42"
Width		Height		


## FEATURED

- Manufactured From US Grade CorTen Steel
- Large Basin For The Birds To Relax/Swim/Cool Off in the summer months
- Removable Top For Easy Cleaning
- Enjoy The Bird Bath's Beauty Day Or Night
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

- Drain Bird Bath in the winter months
- Recommended to change water every two-three weeks
- Ensure the four topper set screws are tightened securely & properly
- Do not place chemicals into the Bird Bath to keep the water clean or use chemicals to clean the Bird Bath

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY



# Planter Bollard Topper



# Planter Bollard Topper




Celtic Design  
PAGE 43



Crosses Design  
PAGE 44



Daylight Design  
PAGE 45



Diamond Design  
PAGE 46




Grove Design  
PAGE 47



Ivy Design  
PAGE 48



Mission Design  
PAGE 49



Spiral Design  
PAGE 50



St. James Design  
PAGE 51



Wright Geo Design  
PAGE 52



# Celtic design Planter Bollard

## CE® Bollard Toppers

Nightscaping's Planter Bollards are an innovative fusion of functionality and aesthetics, ideal for enhancing any outdoor space. These versatile fixtures combine the practicality of pathway lighting with the charm of decorative planters, creating a dual-purpose feature that adds both light and greenery to gardens, walkways, and patios. Available in a range of designs and sizes, Nightscaping's Planter Light Bollards can complement any landscaping style, from modern to rustic. The integrated lighting provides a soft, ambient glow, improving safety and visibility without overpowering the natural beauty of the surroundings. These bollards are perfect for homeowners looking to elevate their outdoor ambiance with a touch of elegance and creativity.



## FEATURED

- Manufactured From US Grade CorTen Steel
- Perfect Planter For Decorative Plants Or Herbs For Your Kitchen
- Built-In Drain To Filter Out Excess Water
- Flared Planter Box Design To Allow For Maximum Planting Space
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

- For Outdoor Use Only
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Clean With Chemicals Or Harsh Abrasives

## RECOMMENDED LAMP

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Crosses design Planter Bollard

## CE® Bollard Toppers

Nightscaping's Planter Bollards are an innovative fusion of functionality and aesthetics, ideal for enhancing any outdoor space. These versatile fixtures combine the practicality of pathway lighting with the charm of decorative planters, creating a dual-purpose feature that adds both light and greenery to gardens, walkways, and patios. Available in a range of designs and sizes, Nightscaping's Planter Light Bollards can complement any landscaping style, from modern to rustic. The integrated lighting provides a soft, ambient glow, improving safety and visibility without overpowering the natural beauty of the surroundings. These bollards are perfect for homeowners looking to elevate their outdoor ambiance with a touch of elegance and creativity.

6 x 6	→	13"	21"	32"	42"	80"
Width		Height				


## FEATURED

- Manufactured From US Grade CorTen Steel
- Perfect Planter For Decorative Plants Or Herbs For Your Kitchen
- Built-In Drain To Filter Out Excess Water
- Flared Planter Box Design To Allow For Maximum Planting Space
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

- For Outdoor Use Only
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Clean With Chemicals Or Harsh Abrasives

## RECOMMENDED LAMP

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*  
SINCE 1959



# Daylight design Planter Bollard

## Bollard Toppers


Nightscaping's Planter Bollards are an innovative fusion of functionality and aesthetics, ideal for enhancing any outdoor space. These versatile fixtures combine the practicality of pathway lighting with the charm of decorative planters, creating a dual-purpose feature that adds both light and greenery to gardens, walkways, and patios. Available in a range of designs and sizes, Nightscaping's Planter Light Bollards can complement any landscaping style, from modern to rustic. The integrated lighting provides a soft, ambient glow, improving safety and visibility without overpowering the natural beauty of the surroundings. These bollards are perfect for homeowners looking to elevate their outdoor ambiance with a touch of elegance and creativity.

6 x 6	→	13"	21"	32"	42"	80"
Width		Height				

## FEATURED

- Manufactured From US Grade CorTen Steel
- Perfect Planter For Decorative Plants Or Herbs For Your Kitchen
- Built-In Drain To Filter Out Excess Water
- Flared Planter Box Design To Allow For Maximum Planting Space
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

- For Outdoor Use Only
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Clean With Chemicals Or Harsh Abrasives

## RECOMMENDED LAMP

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959





# Diamond design Planter Bollard

## CE® Bollard Toppers

Nightscaping's Planter Bollards are an innovative fusion of functionality and aesthetics, ideal for enhancing any outdoor space. These versatile fixtures combine the practicality of pathway lighting with the charm of decorative planters, creating a dual-purpose feature that adds both light and greenery to gardens, walkways, and patios. Available in a range of designs and sizes, Nightscaping's Planter Light Bollards can complement any landscaping style, from modern to rustic. The integrated lighting provides a soft, ambient glow, improving safety and visibility without overpowering the natural beauty of the surroundings. These bollards are perfect for homeowners looking to elevate their outdoor ambiance with a touch of elegance and creativity.



## FEATURED

- Manufactured From US Grade CorTen Steel
- Perfect Planter For Decorative Plants Or Herbs For Your Kitchen
- Built-In Drain To Filter Out Excess Water
- Flared Planter Box Design To Allow For Maximum Planting Space
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



## DIRECTIONS & SAFE USE

- For Outdoor Use Only
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Clean With Chemicals Or Harsh Abrasives

## RECOMMENDED LAMP

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Grove design Planter Bollard

## CE® Bollard Toppers


Nightscaping's Planter Bollards are an innovative fusion of functionality and aesthetics, ideal for enhancing any outdoor space. These versatile fixtures combine the practicality of pathway lighting with the charm of decorative planters, creating a dual-purpose feature that adds both light and greenery to gardens, walkways, and patios. Available in a range of designs and sizes, Nightscaping's Planter Light Bollards can complement any landscaping style, from modern to rustic. The integrated lighting provides a soft, ambient glow, improving safety and visibility without overpowering the natural beauty of the surroundings. These bollards are perfect for homeowners looking to elevate their outdoor ambiance with a touch of elegance and creativity.



## FEATURED

- Manufactured From US Grade CorTen Steel
- Perfect Planter For Decorative Plants Or Herbs For Your Kitchen
- Built-In Drain To Filter Out Excess Water
- Flared Planter Box Design To Allow For Maximum Planting Space
- Proudly Made In West Chester, Pennsylvania


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

- For Outdoor Use Only
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Clean With Chemicals Or Harsh Abrasives

## RECOMMENDED LAMP

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

12V  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY



# Ivy design Planter Bollard

## CE® Bollard Toppers

Nightscaping's Planter Bollards are an innovative fusion of functionality and aesthetics, ideal for enhancing any outdoor space. These versatile fixtures combine the practicality of pathway lighting with the charm of decorative planters, creating a dual-purpose feature that adds both light and greenery to gardens, walkways, and patios. Available in a range of designs and sizes, Nightscaping's Planter Light Bollards can complement any landscaping style, from modern to rustic. The integrated lighting provides a soft, ambient glow, improving safety and visibility without overpowering the natural beauty of the surroundings. These bollards are perfect for homeowners looking to elevate their outdoor ambiance with a touch of elegance and creativity.



## FEATURED

- Manufactured From US Grade CorTen Steel
- Perfect Planter For Decorative Plants Or Herbs For Your Kitchen
- Built-In Drain To Filter Out Excess Water
- Flared Planter Box Design To Allow For Maximum Planting Space
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

- For Outdoor Use Only
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Clean With Chemicals Or Harsh Abrasives

## RECOMMENDED LAMP

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.





# Mission design Planter Bollard

## CE® Bollard Toppers


Nightscaping's Planter Bollards are an innovative fusion of functionality and aesthetics, ideal for enhancing any outdoor space. These versatile fixtures combine the practicality of pathway lighting with the charm of decorative planters, creating a dual-purpose feature that adds both light and greenery to gardens, walkways, and patios. Available in a range of designs and sizes, Nightscaping's Planter Light Bollards can complement any landscaping style, from modern to rustic. The integrated lighting provides a soft, ambient glow, improving safety and visibility without overpowering the natural beauty of the surroundings. These bollards are perfect for homeowners looking to elevate their outdoor ambiance with a touch of elegance and creativity.



### FEATURED

- Manufactured From US Grade CorTen Steel
- Perfect Planter For Decorative Plants Or Herbs For Your Kitchen
- Built-In Drain To Filter Out Excess Water
- Flared Planter Box Design To Allow For Maximum Planting Space
- Proudly Made In West Chester, Pennsylvania

### FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



### DIRECTIONS & SAFE USE

- For Outdoor Use Only
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Clean With Chemicals Or Harsh Abrasives

### RECOMMENDED LAMP

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

### LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

### OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.





# Spiral design Planter Bollard

## Bollard Toppers


Nightscaping's Planter Bollards are an innovative fusion of functionality and aesthetics, ideal for enhancing any outdoor space. These versatile fixtures combine the practicality of pathway lighting with the charm of decorative planters, creating a dual-purpose feature that adds both light and greenery to gardens, walkways, and patios. Available in a range of designs and sizes, Nightscaping's Planter Light Bollards can complement any landscaping style, from modern to rustic. The integrated lighting provides a soft, ambient glow, improving safety and visibility without overpowering the natural beauty of the surroundings. These bollards are perfect for homeowners looking to elevate their outdoor ambiance with a touch of elegance and creativity.



## FEATURED

- Manufactured From US Grade CorTen Steel
- Perfect Planter For Decorative Plants Or Herbs For Your Kitchen
- Built-In Drain To Filter Out Excess Water
- Flared Planter Box Design To Allow For Maximum Planting Space
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

- For Outdoor Use Only
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Clean With Chemicals Or Harsh Abrasives

## RECOMMENDED LAMP

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# St James design Planter Bollard

## CE® Bollard Toppers

Nightscaping's Planter Bollards are an innovative fusion of functionality and aesthetics, ideal for enhancing any outdoor space. These versatile fixtures combine the practicality of pathway lighting with the charm of decorative planters, creating a dual-purpose feature that adds both light and greenery to gardens, walkways, and patios. Available in a range of designs and sizes, Nightscaping's Planter Light Bollards can complement any landscaping style, from modern to rustic. The integrated lighting provides a soft, ambient glow, improving safety and visibility without overpowering the natural beauty of the surroundings. These bollards are perfect for homeowners looking to elevate their outdoor ambiance with a touch of elegance and creativity.

6 x 6	→	13"	21"	32"	42"	80"
Width		Height				



## FEATURED

- Manufactured From US Grade CorTen Steel
- Perfect Planter For Decorative Plants Or Herbs For Your Kitchen
- Built-In Drain To Filter Out Excess Water
- Flared Planter Box Design To Allow For Maximum Planting Space
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

- For Outdoor Use Only
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Clean With Chemicals Or Harsh Abrasives

## RECOMMENDED LAMP

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY

# Wright Geo design Planter Bollard

## Bollard Toppers

Nightscaping's Planter Bollards are an innovative fusion of functionality and aesthetics, ideal for enhancing any outdoor space. These versatile fixtures combine the practicality of pathway lighting with the charm of decorative planters, creating a dual-purpose feature that adds both light and greenery to gardens, walkways, and patios. Available in a range of designs and sizes, Nightscaping's Planter Light Bollards can complement any landscaping style, from modern to rustic. The integrated lighting provides a soft, ambient glow, improving safety and visibility without overpowering the natural beauty of the surroundings. These bollards are perfect for homeowners looking to elevate their outdoor ambiance with a touch of elegance and creativity.

6 x 6	→	13"	21"	32"	42"	80"
Width		Height				



## FEATURED

- Manufactured From US Grade CorTen Steel
- Perfect Planter For Decorative Plants Or Herbs For Your Kitchen
- Built-In Drain To Filter Out Excess Water
- Flared Planter Box Design To Allow For Maximum Planting Space
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## DIRECTIONS & SAFE USE

- For Outdoor Use Only
- Ensure The Four Topper Set Screws Are Tightened Securely & Properly
- Do Not Clean With Chemicals Or Harsh Abrasives

## RECOMMENDED LAMP

For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY

# Audio Bollard



# Audio Bollard



Celtic Design  
PAGE 55



Crosses Design  
PAGE 56



Daylight Design  
PAGE 57



Diamond Design  
PAGE 58



Grove Design  
PAGE 59



Ivy Design  
PAGE 60



Spiral Design  
PAGE 61



St James  
PAGE 62



Wright Geo Design  
PAGE 63



# Celtic design Audio Bollard

CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.



## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Crosses design Audio Bollard

## CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.




## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Daylight design Audio Bollard

## CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.




## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Diamond design Audio Bollard

## CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.




## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).


## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Grove design Audio Bollard

CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.




## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE


Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Ivy design Audio Bollard

## CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.



## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.





# Spiral design Audio Bollard

CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.




## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).

## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# St James design Audio Bollard

## CE® Audio bollard


Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.



## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black

## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Wright Geo design Audio Bollard

## CE® Audio bollard

Since 1959, Nightscaping® has built its reputation on designing original and handcrafted outdoor lighting fixtures. As an American design and manufacturing company, we pride ourselves on delivering works of art that transcend generations. Recently, Nightscaping® partnered with TruAudio® to introduce an audio light bollard that creates the ultimate outdoor living experience. Customers who choose the Nightscaping® Audio Bollards powdered by TruAudio® consider their landscape lighting fixtures to be so much more than just another purchase. They consider it an investment that will last them a lifetime.




## MATERIAL

Nightscaping's® 6x6 Bollards are constructed from 11 gauge, 6" SQ, solid steel tubing. The CorTen top is easily removable with two Alan-head screws. This creates easy access to the luminaire's LED module which can be raised or lowered to eliminate light glare. The Audio Base is constructed from either Stainless Steel (powder coated options) or raw steel (weathered steel option).

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



## AUDIO OPTIONS

The Nightscaping Audio Bollard works with TruAudio's AS-360 or AS-1. Speakers sold separately and must be specified when Audio Bollard is ordered. Please see website for details.

## MOUNTING OPTIONS

The Estate Series Nightscaping® Bollards can be mounted with Nightscaping's® Universal Mounting Plate, which can be installed in the landscape using the Stainless Steel PVC Stake Mount or onto a solid surface. For details, see the Installation Instructions.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Mailbox Bollard Topper



# Mailbox Bollard Topper



Celtic Design  
PAGE 66



Crosses Design  
PAGE 67



Daylight Design  
PAGE 68



Diamond Design  
PAGE 69




Grove Design  
PAGE 70



Ivy Design  
PAGE 71



Mission Design  
PAGE 72



Spiral Design  
PAGE 73



St. James Design  
PAGE 74



Wright Geo Design  
PAGE 75

# Celtic design Mailbox Bollard

## CE® Bollard Toppers


The beautifully handcrafted locking security Mailbox Bollard from Nightscaping® is your best line of defense against mail and identity theft. With its heavy-duty 11-gauge steel construction and lockable security door, your mail is guaranteed to be safe. The robust design ensures that it can withstand harsh weather conditions and deter even the most determined thieves, providing peace of mind that your sensitive information and packages are secure. Beyond its security features, the Nightscaping mailbox bollard offers unparalleled curb appeal. Its elegant design and customizable options allow it to blend seamlessly with any home exterior, adding a touch of sophistication to your property. The bollard can be tailored to match your personal style, with various finishes and decorative elements available to choose from, ensuring it complements your home's aesthetic perfectly. As night falls, the custom bollard and address plate illuminate, creating a welcoming glow that not only enhances the beauty of your home but also provides practical benefits. It's more than just a mailbox; it's a testament to thoughtful design and superior craftsmanship.



## FEATURES

- Manufactured From US Grade, 11 Gauge, Steel
- Fits On Top of Any Estate Series 42" Bollard
- Custom Address Plate Available
- Lockable Security Door For Incoming Mail
- Includes 2 Keys For Security Door
- USPS Approved
- Unrivalled Security & Protection Against Theft
- Proudly Made In West Chester, Pennsylvania

## FINISHES




Weathered  
Steel



Hammered  
Bronze



Matte  
Black



Chrome



## DIRECTIONS & SAFE USE

When installing the Nightscaping Mailbox Bollard please follow the installation instructions. Mailbox for outdoor curbside use only. Lock Doors After Each Use. Ensure the four topper set screws are tightened securely & properly.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)



# Crosses design Mailbox Bollard

## CE® Bollard Toppers


The beautifully handcrafted locking security Mailbox Bollard from Nightscaping® is your best line of defense against mail and identity theft. With its heavy-duty 11-gauge steel construction and lockable security door, your mail is guaranteed to be safe. The robust design ensures that it can withstand harsh weather conditions and deter even the most determined thieves, providing peace of mind that your sensitive information and packages are secure. Beyond its security features, the Nightscaping mailbox bollard offers unparalleled curb appeal. Its elegant design and customizable options allow it to blend seamlessly with any home exterior, adding a touch of sophistication to your property. The bollard can be tailored to match your personal style, with various finishes and decorative elements available to choose from, ensuring it complements your home's aesthetic perfectly. As night falls, the custom bollard and address plate illuminate, creating a welcoming glow that not only enhances the beauty of your home but also provides practical benefits. It's more than just a mailbox; it's a testament to thoughtful design and superior craftsmanship.



## FEATURES

- Manufactured From US Grade, 11 Gauge, Steel
- Fits On Top of Any Estate Series 42" Bollard
- Custom Address Plate Available
- Lockable Security Door For Incoming Mail
- Includes 2 Keys For Security Door
- USPS Approved
- Unrivaled Security & Protection Against Theft
- Proudly Made In West Chester, Pennsylvania


## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



Chrome



## DIRECTIONS & SAFE USE

When installing the Nightscaping Mailbox Bollard please follow the installation instructions. Mailbox for outdoor curbside use only. Lock Doors After Each Use. Ensure the four topper set screws are tightened securely & properly.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY

# Daylight design Mailbox Bollard

## CE® Bollard Toppers


The beautifully handcrafted locking security Mailbox Bollard from Nightscaping® is your best line of defense against mail and identity theft. With its heavy-duty 11-gauge steel construction and lockable security door, your mail is guaranteed to be safe. The robust design ensures that it can withstand harsh weather conditions and deter even the most determined thieves, providing peace of mind that your sensitive information and packages are secure. Beyond its security features, the Nightscaping mailbox bollard offers unparalleled curb appeal. Its elegant design and customizable options allow it to blend seamlessly with any home exterior, adding a touch of sophistication to your property. The bollard can be tailored to match your personal style, with various finishes and decorative elements available to choose from, ensuring it complements your home's aesthetic perfectly. As night falls, the custom bollard and address plate illuminate, creating a welcoming glow that not only enhances the beauty of your home but also provides practical benefits. It's more than just a mailbox; it's a testament to thoughtful design and superior craftsmanship.



## FEATURES

- Manufactured From US Grade, 11 Gauge, Steel
- Fits On Top of Any Estate Series 42" Bollard
- Custom Address Plate Available
- Lockable Security Door For Incoming Mail
- Includes 2 Keys For Security Door
- USPS Approved
- Unrivald Security & Protection Against Theft
- Proudly Made In West Chester, Pennsylvania


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



Chrome



## DIRECTIONS & SAFE USE

When installing the Nightscaping Mailbox Bollard please follow the installation instructions. Mailbox for outdoor curbside use only. Lock Doors After Each Use. Ensure the four topper set screws are tightened securely & properly.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Diamond design Mailbox Bollard

## CE® Bollard Toppers


The beautifully handcrafted locking security Mailbox Bollard from Nightscaping® is your best line of defense against mail and identity theft. With its heavy-duty 11-gauge steel construction and lockable security door, your mail is guaranteed to be safe. The robust design ensures that it can withstand harsh weather conditions and deter even the most determined thieves, providing peace of mind that your sensitive information and packages are secure. Beyond its security features, the Nightscaping mailbox bollard offers unparalleled curb appeal. Its elegant design and customizable options allow it to blend seamlessly with any home exterior, adding a touch of sophistication to your property. The bollard can be tailored to match your personal style, with various finishes and decorative elements available to choose from, ensuring it complements your home's aesthetic perfectly. As night falls, the custom bollard and address plate illuminate, creating a welcoming glow that not only enhances the beauty of your home but also provides practical benefits. It's more than just a mailbox; it's a testament to thoughtful design and superior craftsmanship.



### FEATURES

- Manufactured From US Grade, 11 Gauge, Steel
- Fits On Top of Any Estate Series 42" Bollard
- Custom Address Plate Available
- Lockable Security Door For Incoming Mail
- Includes 2 Keys For Security Door
- USPS Approved
- Unrivaled Security & Protection Against Theft
- Proudly Made In West Chester, Pennsylvania

### FINISHES



Weathered Steel



Hammered Bronze



Matte Black



Chrome



### DIRECTIONS & SAFE USE

When installing the Nightscaping Mailbox Bollard please follow the installation instructions. Mailbox for outdoor curbside use only. Lock Doors After Each Use. Ensure the four topper set screws are tightened securely & properly.

### LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

### OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Grove design Mailbox Bollard

## CE® Bollard Toppers


The beautifully handcrafted locking security Mailbox Bollard from Nightscaping® is your best line of defense against mail and identity theft. With its heavy-duty 11-gauge steel construction and lockable security door, your mail is guaranteed to be safe. The robust design ensures that it can withstand harsh weather conditions and deter even the most determined thieves, providing peace of mind that your sensitive information and packages are secure. Beyond its security features, the Nightscaping mailbox bollard offers unparalleled curb appeal. Its elegant design and customizable options allow it to blend seamlessly with any home exterior, adding a touch of sophistication to your property. The bollard can be tailored to match your personal style, with various finishes and decorative elements available to choose from, ensuring it complements your home's aesthetic perfectly. As night falls, the custom bollard and address plate illuminate, creating a welcoming glow that not only enhances the beauty of your home but also provides practical benefits. It's more than just a mailbox; it's a testament to thoughtful design and superior craftsmanship.



## FEATURES

- Manufactured From US Grade, 11 Gauge, Steel
- Fits On Top of Any Estate Series 42" Bollard
- Custom Address Plate Available
- Lockable Security Door For Incoming Mail
- Includes 2 Keys For Security Door
- USPS Approved
- Unrivaled Security & Protection Against Theft
- Proudly Made In West Chester, Pennsylvania


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



Chrome



## DIRECTIONS & SAFE USE

When installing the Nightscaping Mailbox Bollard please follow the installation instructions. Mailbox for outdoor curbside use only. Lock Doors After Each Use. Ensure the four topper set screws are tightened securely & properly.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)



# Ivy design Mailbox Bollard

## CE® Bollard Toppers


The beautifully handcrafted locking security Mailbox Bollard from Nightscaping® is your best line of defense against mail and identity theft. With its heavy-duty 11-gauge steel construction and lockable security door, your mail is guaranteed to be safe. The robust design ensures that it can withstand harsh weather conditions and deter even the most determined thieves, providing peace of mind that your sensitive information and packages are secure. Beyond its security features, the Nightscaping mailbox bollard offers unparalleled curb appeal. Its elegant design and customizable options allow it to blend seamlessly with any home exterior, adding a touch of sophistication to your property. The bollard can be tailored to match your personal style, with various finishes and decorative elements available to choose from, ensuring it complements your home's aesthetic perfectly. As night falls, the custom bollard and address plate illuminate, creating a welcoming glow that not only enhances the beauty of your home but also provides practical benefits. It's more than just a mailbox; it's a testament to thoughtful design and superior craftsmanship.



## FEATURES

- Manufactured From US Grade, 11 Gauge, Steel
- Fits On Top of Any Estate Series 42" Bollard
- Custom Address Plate Available
- Lockable Security Door For Incoming Mail
- Includes 2 Keys For Security Door
- USPS Approved
- Unrivalled Security & Protection Against Theft
- Proudly Made In West Chester, Pennsylvania


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



Chrome



## DIRECTIONS & SAFE USE

When installing the Nightscaping Mailbox Bollard please follow the installation instructions. Mailbox for outdoor curbside use only. Lock Doors After Each Use. Ensure the four topper set screws are tightened securely & properly.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)



# Mission design Mailbox Bollard

## CE® Bollard Toppers


The beautifully handcrafted locking security Mailbox Bollard from Nightscaping® is your best line of defense against mail and identity theft. With its heavy-duty 11-gauge steel construction and lockable security door, your mail is guaranteed to be safe. The robust design ensures that it can withstand harsh weather conditions and deter even the most determined thieves, providing peace of mind that your sensitive information and packages are secure. Beyond its security features, the Nightscaping mailbox bollard offers unparalleled curb appeal. Its elegant design and customizable options allow it to blend seamlessly with any home exterior, adding a touch of sophistication to your property. The bollard can be tailored to match your personal style, with various finishes and decorative elements available to choose from, ensuring it complements your home's aesthetic perfectly. As night falls, the custom bollard and address plate illuminate, creating a welcoming glow that not only enhances the beauty of your home but also provides practical benefits. It's more than just a mailbox; it's a testament to thoughtful design and superior craftsmanship.



## FEATURES

- Manufactured From US Grade, 11 Gauge, Steel
- Fits On Top of Any Estate Series 42" Bollard
- Custom Address Plate Available
- Lockable Security Door For Incoming Mail
- Includes 2 Keys For Security Door
- USPS Approved
- Unrivaled Security & Protection Against Theft
- Proudly Made In West Chester, Pennsylvania

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



Chrome



## DIRECTIONS & SAFE USE

When installing the Nightscaping Mailbox Bollard please follow the installation instructions. Mailbox for outdoor curbside use only. Lock Doors After Each Use. Ensure the four topper set screws are tightened securely & properly.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)



# Spiral design Mailbox Bollard

## Bollard Toppers


The beautifully handcrafted locking security Mailbox Bollard from Nightscaping® is your best line of defense against mail and identity theft. With its heavy-duty 11-gauge steel construction and lockable security door, your mail is guaranteed to be safe. The robust design ensures that it can withstand harsh weather conditions and deter even the most determined thieves, providing peace of mind that your sensitive information and packages are secure. Beyond its security features, the Nightscaping mailbox bollard offers unparalleled curb appeal. Its elegant design and customizable options allow it to blend seamlessly with any home exterior, adding a touch of sophistication to your property. The bollard can be tailored to match your personal style, with various finishes and decorative elements available to choose from, ensuring it complements your home's aesthetic perfectly. As night falls, the custom bollard and address plate illuminate, creating a welcoming glow that not only enhances the beauty of your home but also provides practical benefits. It's more than just a mailbox; it's a testament to thoughtful design and superior craftsmanship.



## FEATURES

- Manufactured From US Grade, 11 Gauge, Steel
- Fits On Top of Any Estate Series 42" Bollard
- Custom Address Plate Available
- Lockable Security Door For Incoming Mail
- Includes 2 Keys For Security Door
- USPS Approved
- Unrivald Security & Protection Against Theft
- Proudly Made In West Chester, Pennsylvania

## FINISHES




Weathered Steel



Hammered Bronze



Matte Black



Chrome

## DIRECTIONS & SAFE USE

When installing the Nightscaping Mailbox Bollard please follow the installation instructions. Mailbox for outdoor curbside use only. Lock Doors After Each Use. Ensure the four topper set screws are tightened securely & properly.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)



# St James design Mailbox Bollard

## CE® Bollard Toppers


The beautifully handcrafted locking security Mailbox Bollard from Nightscaping® is your best line of defense against mail and identity theft. With its heavy-duty 11-gauge steel construction and lockable security door, your mail is guaranteed to be safe. The robust design ensures that it can withstand harsh weather conditions and deter even the most determined thieves, providing peace of mind that your sensitive information and packages are secure. Beyond its security features, the Nightscaping mailbox bollard offers unparalleled curb appeal. Its elegant design and customizable options allow it to blend seamlessly with any home exterior, adding a touch of sophistication to your property. The bollard can be tailored to match your personal style, with various finishes and decorative elements available to choose from, ensuring it complements your home's aesthetic perfectly. As night falls, the custom bollard and address plate illuminate, creating a welcoming glow that not only enhances the beauty of your home but also provides practical benefits. It's more than just a mailbox; it's a testament to thoughtful design and superior craftsmanship.




## FEATURES

- Manufactured From US Grade, 11 Gauge, Steel
- Fits On Top of Any Estate Series 42" Bollard
- Custom Address Plate Available
- Lockable Security Door For Incoming Mail
- Includes 2 Keys For Security Door
- USPS Approved
- Unrivaled Security & Protection Against Theft
- Proudly Made In West Chester, Pennsylvania


## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



Chrome



## DIRECTIONS & SAFE USE

When installing the Nightscaping Mailbox Bollard please follow the installation instructions. Mailbox for outdoor curbside use only. Lock Doors After Each Use. Ensure the four topper set screws are tightened securely & properly.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY

# Wright Geo design Mailbox Bollard

## Bollard Toppers


The beautifully handcrafted locking security Mailbox Bollard from Nightscaping® is your best line of defense against mail and identity theft. With its heavy-duty 11-gauge steel construction and lockable security door, your mail is guaranteed to be safe. The robust design ensures that it can withstand harsh weather conditions and deter even the most determined thieves, providing peace of mind that your sensitive information and packages are secure. Beyond its security features, the Nightscaping mailbox bollard offers unparalleled curb appeal. Its elegant design and customizable options allow it to blend seamlessly with any home exterior, adding a touch of sophistication to your property. The bollard can be tailored to match your personal style, with various finishes and decorative elements available to choose from, ensuring it complements your home's aesthetic perfectly. As night falls, the custom bollard and address plate illuminate, creating a welcoming glow that not only enhances the beauty of your home but also provides practical benefits. It's more than just a mailbox; it's a testament to thoughtful design and superior craftsmanship.



## FEATURES

- Manufactured From US Grade, 11 Gauge, Steel
- Fits On Top of Any Estate Series 42" Bollard
- Custom Address Plate Available
- Lockable Security Door For Incoming Mail
- Includes 2 Keys For Security Door
- USPS Approved
- Unrivaled Security & Protection Against Theft
- Proudly Made In West Chester, Pennsylvania


## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



Chrome



## DIRECTIONS & SAFE USE

When installing the Nightscaping Mailbox Bollard please follow the installation instructions. Mailbox for outdoor curbside use only. Lock Doors After Each Use. Ensure the four topper set screws are tightened securely & properly.

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)



# Address Bollard



# Address Bollard



Celtic Design  
PAGE 78



Crosses Design  
PAGE 79



Daylight Design  
PAGE 80



Diamond Design  
PAGE 81



Grove Design  
PAGE 82



Ivy Design  
PAGE 83



Mission Design  
PAGE 84



Spiral  
PAGE 85



St James Design  
PAGE 86



Wright Geo Design  
PAGE 87

# Celtic design Address Bollard

CE® Address bollard

Custom address light bollards are a stylish and functional addition to any property, enhancing both aesthetics and security. Nightscaping's address bollards feature illuminated house numbers, ensuring clear visibility of the address at night. They are customizable in terms of design patterns, finish, and lighting options, allowing homeowners to match them with their landscape and architectural style. Beyond their practical use, these bollards contribute to curb appeal. Nightscaping's energy-efficient LED modules are used to create ample light output, providing long-lasting illumination with minimal maintenance. Overall, the custom address bollards are a unique blend of elegance and utility, perfect for modernizing any home's exterior.



## MATERIAL

Nightscaping's® address bollards are constructed from 11 gauge, 6x6 square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES




Weathered  
Steel



Hammered  
Bronze



Matte  
Black



Matte  
White



## MOUNTING OPTIONS

For the 6x6 Address Bollards, a stainless steel PVC mount is available. The Nightscaping® Address Bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1999

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V


STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY

# Crosses design Address Bollard

CE® Address bollard


Custom address light bollards are a stylish and functional addition to any property, enhancing both aesthetics and security. Nightscaping's address bollards feature illuminated house numbers, ensuring clear visibility of the address at night. They are customizable in terms of design patterns, finish, and lighting options, allowing homeowners to match them with their landscape and architectural style. Beyond their practical use, these bollards contribute to curb appeal. Nightscaping's energy-efficient LED modules are used to create ample light output, providing long-lasting illumination with minimal maintenance. Overall, the custom address bollards are a unique blend of elegance and utility, perfect for modernizing any home's exterior.



## MATERIAL

Nightscaping's® address bollards are constructed from 11 gauge, 6x6 square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



Matte White



## MOUNTING OPTIONS

For the 6x6 Address Bollards, a stainless steel PVC mount is available. The Nightscaping® Address Bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY

# Daylight design Address Bollard

## Address bollard

Custom address light bollards are a stylish and functional addition to any property, enhancing both aesthetics and security. Nightscaping's address bollards feature illuminated house numbers, ensuring clear visibility of the address at night. They are customizable in terms of design patterns, finish, and lighting options, allowing homeowners to match them with their landscape and architectural style. Beyond their practical use, these bollards contribute to curb appeal. Nightscaping's energy-efficient LED modules are used to create ample light output, providing long-lasting illumination with minimal maintenance. Overall, the custom address bollards are a unique blend of elegance and utility, perfect for modernizing any home's exterior.



## MATERIAL

Nightscaping's® address bollards are constructed from 11 gauge, 6x6 square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES




Weathered Steel



Hammered Bronze



Matte Black



Matte White



## MOUNTING OPTIONS

For the 6x6 Address Bollards, a stainless steel PVC mount is available. The Nightscaping® Address Bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*<sup>®</sup>  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY



# Diamond design Address Bollard

## CE® Address bollard


Custom address light bollards are a stylish and functional addition to any property, enhancing both aesthetics and security. Nightscaping's address bollards feature illuminated house numbers, ensuring clear visibility of the address at night. They are customizable in terms of design patterns, finish, and lighting options, allowing homeowners to match them with their landscape and architectural style. Beyond their practical use, these bollards contribute to curb appeal. Nightscaping's energy-efficient LED modules are used to create ample light output, providing long-lasting illumination with minimal maintenance. Overall, the custom address bollards are a unique blend of elegance and utility, perfect for modernizing any home's exterior.



## MATERIAL

Nightscaping's® address bollards are constructed from 11 gauge, 6x6 square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES




Weathered  
Steel



Hammered  
Bronze



Matte  
Black



Matte  
White



## MOUNTING OPTIONS

For the 6x6 Address Bollards, a stainless steel PVC mount is available. The Nightscaping® Address Bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY


DARK SKY FRIENDLY



# Grove design Address Bollard

CE® Address bollard

Custom address light bollards are a stylish and functional addition to any property, enhancing both aesthetics and security. Nightscaping's address bollards feature illuminated house numbers, ensuring clear visibility of the address at night. They are customizable in terms of design patterns, finish, and lighting options, allowing homeowners to match them with their landscape and architectural style. Beyond their practical use, these bollards contribute to curb appeal. Nightscaping's energy-efficient LED modules are used to create ample light output, providing long-lasting illumination with minimal maintenance. Overall, the custom address bollards are a unique blend of elegance and utility, perfect for modernizing any home's exterior.




## MATERIAL

Nightscaping's® address bollards are constructed from 11 gauge, 6x6 square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



Matte White



## MOUNTING OPTIONS

For the 6x6 Address Bollards, a stainless steel PVC mount is available. The Nightscaping® Address Bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1999

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY


DARK SKY FRIENDLY



# Ivy design Address Bollard

## CE® Address bollard

Custom address light bollards are a stylish and functional addition to any property, enhancing both aesthetics and security. Nightscaping's address bollards feature illuminated house numbers, ensuring clear visibility of the address at night. They are customizable in terms of design patterns, finish, and lighting options, allowing homeowners to match them with their landscape and architectural style. Beyond their practical use, these bollards contribute to curb appeal. Nightscaping's energy-efficient LED modules are used to create ample light output, providing long-lasting illumination with minimal maintenance. Overall, the custom address bollards are a unique blend of elegance and utility, perfect for modernizing any home's exterior.




## MATERIAL

Nightscaping's® address bollards are constructed from 11 gauge, 6x6 square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES



Weathered Steel



Hammered Bronze



Matte Black



Matte White



## MOUNTING OPTIONS

For the 6x6 Address Bollards, a stainless steel PVC mount is available. The Nightscaping® Address Bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.






# Mission design Address Bollard

CE® Address bollard

Custom address light bollards are a stylish and functional addition to any property, enhancing both aesthetics and security. Nightscaping's address bollards feature illuminated house numbers, ensuring clear visibility of the address at night. They are customizable in terms of design patterns, finish, and lighting options, allowing homeowners to match them with their landscape and architectural style. Beyond their practical use, these bollards contribute to curb appeal. Nightscaping's energy-efficient LED modules are used to create ample light output, providing long-lasting illumination with minimal maintenance. Overall, the custom address bollards are a unique blend of elegance and utility, perfect for modernizing any home's exterior.



## MATERIAL

Nightscaping's® address bollards are constructed from 11 gauge, 6x6 square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES




Weathered Steel



Hammered Bronze



Matte Black



Matte White



## MOUNTING OPTIONS

For the 6x6 Address Bollards, a stainless steel PVC mount is available. The Nightscaping® Address Bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*®  
SINCE 1959

RECOMMENDED LAMP  
**2W**  
LED module  
(INCLUDED)

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

DARK SKY FRIENDLY

# Spiral design Address Bollard

## Address bollard


Custom address light bollards are a stylish and functional addition to any property, enhancing both aesthetics and security. Nightscaping's address bollards feature illuminated house numbers, ensuring clear visibility of the address at night. They are customizable in terms of design patterns, finish, and lighting options, allowing homeowners to match them with their landscape and architectural style. Beyond their practical use, these bollards contribute to curb appeal. Nightscaping's energy-efficient LED modules are used to create ample light output, providing long-lasting illumination with minimal maintenance. Overall, the custom address bollards are a unique blend of elegance and utility, perfect for modernizing any home's exterior.




## MATERIAL

Nightscaping's® address bollards are constructed from 11 gauge, 6x6 square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



Matte  
White

## MOUNTING OPTIONS

For the 6x6 Address Bollards, a stainless steel PVC mount is available. The Nightscaping® Address Bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.

*Nightscaping*<sup>®</sup>  
SINCE 1959



# St James design Address Bollard

## CE® Address bollard

Custom address light bollards are a stylish and functional addition to any property, enhancing both aesthetics and security. Nightscaping's address bollards feature illuminated house numbers, ensuring clear visibility of the address at night. They are customizable in terms of design patterns, finish, and lighting options, allowing homeowners to match them with their landscape and architectural style. Beyond their practical use, these bollards contribute to curb appeal. Nightscaping's energy-efficient LED modules are used to create ample light output, providing long-lasting illumination with minimal maintenance. Overall, the custom address bollards are a unique blend of elegance and utility, perfect for modernizing any home's exterior.



## MATERIAL

Nightscaping's® address bollards are constructed from 11 gauge, 6x6 square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES



Weathered  
Steel



Hammered  
Bronze



Matte  
Black



Matte  
White

## MOUNTING OPTIONS

For the 6x6 Address Bollards, a stainless steel PVC mount is available. The Nightscaping® Address Bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT

Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.


*Nightscaping*®  
SINCE 1997



# Wright Geo design Address Bollard

## Address bollard

Custom address light bollards are a stylish and functional addition to any property, enhancing both aesthetics and security. Nightscaping's address bollards feature illuminated house numbers, ensuring clear visibility of the address at night. They are customizable in terms of design patterns, finish, and lighting options, allowing homeowners to match them with their landscape and architectural style. Beyond their practical use, these bollards contribute to curb appeal. Nightscaping's energy-efficient LED modules are used to create ample light output, providing long-lasting illumination with minimal maintenance. Overall, the custom address bollards are a unique blend of elegance and utility, perfect for modernizing any home's exterior.



## MATERIAL

Nightscaping's® address bollards are constructed from 11 gauge, 6x6 square, solid steel tubing. The Cor-Ten Steel top is easily removable for service. This creates easy access to the luminaire's internal components.

## FINISHES




Weathered Steel



Hammered Bronze



Matte Black



Matte White



## MOUNTING OPTIONS

For the 6x6 Address Bollards, a stainless steel PVC mount is available. The Nightscaping® Address Bollards can also be surface mounted using the Universal Mounting Plate (see website for details).

## WIRING

25ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP ADJUSTMENT


Each luminaire has an adjustment feature to not only adjust the distance of the light spread but also help to prevent light glare. For use with Nightscaping's® 2W LED (included), 4W LED or 7W LED modules.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V Nightscaping® LEDs is 11V - 15V components.



# Custom Bollards



# CUSTOM SERIES

One-of-a-kind. Made to order


Custom Series Light Bollards can be designed for a wide variety of applications including street sign lighting, custom park and campus light posts and much, much more.

Nightscaping's team of artisan craftsmen and designers are well equipped to help you create a custom piece or group that is beyond the expected and that will perfectly complement the architecture or theme of the space you are working with.




## DESIGNS & FINISHES

Available in any design or finish.



## CUSTOM DESIGN EXAMPLES



*Nightscaping*<sup>®</sup>  
SINCE 1959

CUSTOM  
HEIGHTS



# Hanging Lights

PENDANTLITERS



# Hanging Lights

## PENDANTLITERS




Halo Design  
PAGE 92



Ivy Design  
PAGE 93



Luna Design  
PAGE 94



Weave Design  
PAGE 95



# Halo Design

## Hanging Lights | Pendantliters

Nightscaping's Halo pendantlitter features a sleek minimalistic design that provides subtle illumination from above. The Halo mini pendant lights are a versatile and stylish lighting solution, perfect for a variety of outdoor living spaces. These compact fixtures, often used in clusters, can add a touch of elegance and focused illumination to outdoor dining areas, kitchen spaces, and lanais. Their small size makes them ideal for accent lighting, highlighting specific areas or features without overwhelming the space.



## MATERIAL

Nightscaping's® Pendantliters are constructed from solid brass and 6061 aluminum tubing. The brass center body is easily removable with two small set screws. This creates easy access to the luminaire's LED module.

## FINISHES



Hammered  
Bronze

The Pendantliters are finished with Nightscaping's coppervein powder coat and antique brass finish. This allows the luminaire to blend seamlessly into the landscape and surrounding areas.



## MOUNTING OPTIONS

The Pendantliters can be mounted with Nightscaping's® optional brass surface mount. The brass surface mount can be mounted to a solid surface using the Stainless Steel mounting screws included with each luminaire. (please see Installation Instructions for details).

## WIRING

35ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP

Comes standard with Nightscaping's® 3.5W LED module - 180 Lumens (without honeycomb louver installed) or 100 Lumens (with honeycomb louver installed).

## OPTIMAL VOLTAGE

Recommended voltage range for 12V LEDs is 11V - 15V components.

*Nightscaping*<sup>®</sup>  
SINCE 1959

RECOMMENDED LAMP  
**3.5W**  
LED module  
180 OR 100 LUMENS


**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

# Ivy Design

Hanging Lights | Pendantliters

Nightscaping's Ivy Design Pendantlitter features a frosted inner diffusion tube wrapped in a delicate leaf inspired form. The Ivy Pendantlitter proves a multi-directional source of light that is perfect to hang over tables or mount directly in garden structures. The Ivy design is in perfect harmony with the leafy elements of the garden and pairs perfectly in theme with Nightscaping's line of decorative bollards and path lights in the same Ivy design.



## MATERIAL

Nightscaping's® Pendantliters are constructed from solid brass and 6061 aluminum tubing. The brass center body is easily removable with two small set screws. This creates easy access to the luminaire's LED module.

## FINISHES



Hammered  
Bronze

The Pendantliters are finished with Nightscaping's coppervein powder coat and antique brass finish. This allows the luminaire to blend seamlessly into the landscape and surrounding areas.



## MOUNTING OPTIONS

The Pendantliters can be mounted with Nightscaping's® optional brass surface mount. The brass surface mount can be mounted to a solid surface using the Stainless Steel mounting screws included with each luminaire. (please see Installation Instructions for details).

## LAMP

Comes standard with Nightscaping's® 3.5W LED module - 170 Lumens (without acrylic lens) or 120 Lumens (with acrylic lens installed).

## OPTIMAL VOLTAGE

Recommended voltage range for 12V LEDs is 11V - 15V components.

## WIRING

35ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

*Nightscaping*  
SINCE 1959

RECOMMENDED LAMP  
**3.5W**  
LED module  
170 OR 120 LUMENS


**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

# Luna Design

## Hanging Lights | Pendantliters

Nightscaping's Luna Pendantlitter features a slim design with a fully frosted end to provide soft, multi-directional illumination. The Luna is ideal for areas where a non-directional light source can be utilized to add a soft, diffused glow to an area providing even illumination within garden and patio spaces. Pair the luna with the fixed base accessory under a pergola or patio cover and Luna becomes a practical area light, providing a soft ambient light for a variety of evening activities and get togethers.



## MATERIAL

Nightscaping's® Pendantliters are constructed from solid brass and 6061 aluminum tubing. The brass center body is easily removable with two small set screws. This creates easy access to the luminaire's LED module.

## FINISHES



Hammered  
Bronze

The Pendantliters are finished with Nightscaping's coppervein powder coat and antique brass finish. This allows the luminaire to blend seamlessly into the landscape and surrounding areas.



## MOUNTING OPTIONS

The Pendantliters can be mounted with Nightscaping's® optional brass surface mount. The brass surface mount can be mounted to a solid surface using the Stainless Steel mounting screws included with each luminaire. (please see Installation Instructions for details).

## WIRING

35ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP

Comes standard with Nightscaping's® 3.5W LED module - 125 Lumens.

## OPTIMAL VOLTAGE

Recommended voltage range for 12V LEDs is 11V - 15V components.

*Nightscaping*<sup>®</sup>  
SINCE 1959

RECOMMENDED LAMP  
**3.5W**  
LED module  
125 LUMENS


**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

# Weave Design

Hanging Lights | Pendantlites

Nightscaping's Weave Design Pendantlite features a frosted inner diffusion tube wrapped in a uniquely designed, weave form for a modern aesthetic. The Weave pendantlite provides subtle, multi-directional illumination that is perfect for use over outdoor bars and seating areas, providing a classy touch in a highly compact form.



## MATERIAL

Nightscaping's® Pendantlites are constructed from solid brass and 6061 aluminum tubing. The brass center body is easily removable with two small set screws. This creates easy access to the luminaire's LED module.

## FINISHES



Hammered  
Bronze

The Pendantlites are finished with Nightscaping's coppervein powder coat and antique brass finish. This allows the luminaire to blend seamlessly into the landscape and surrounding areas.



## MOUNTING OPTIONS

The Pendantlites can be mounted with Nightscaping's® optional brass surface mount. The brass surface mount can be mounted to a solid surface using the Stainless Steel mounting screws included with each luminaire. (please see Installation Instructions for details).

## WIRING

35ft 18AWG, UL Listed, copper wire that is protected by Black Polyvinyl Chloride (PVC).

## LAMP

Comes standard with Nightscaping's® 3.5W LED module - 170 Lumens (without acrylic lens) or 118 Lumens (with acrylic lens installed)

## OPTIMAL VOLTAGE

Recommended voltage range for 12V LEDs is 11V - 15V components.

*Nightscaping*  
SINCE 1959

RECOMMENDED LAMP  
**3.5W**  
LED module  
170 OR 118 LUMENS

**12V**  
11V-15V

STRUCTURAL LIFETIME  
★ ★ ★  
WARRANTY

# Bistro Series

# Bistro Lights

## Bistro Lights

Nightscaping® 38 ft. 8V-36V AC dimmable LED bistro fixed socket string lights are the perfect addition to your backyard, patio, or garden. These UL Listed bistro lights are coated in a tough rubber casing so they will withstand even the toughest weather conditions. Our heavy-duty 14AWG SJTW rated cable is well insulated so you can leave them outside all year long. Our bistro light kit includes 18 standard sockets. You can choose from 1W, 2W, or 4W S14 LED lamps that shine with a warm glow to create an inviting atmosphere for parties, events, or just relaxing at home.



## FEATURES

- **Voltage Input:** 8V-36V AC.
- **Length:** 38-foot length strands or 250 Spool.
- **Lamp Options:** Choice of 20 high quality 1W, 2W, 4W dimmable 2700K LED lamps.
- **Sockets:** 18 S14 Fixed Socket or Suspended Socket.
- **Wire:** Durable, 14AWG, heavy-duty, flexible rubber, built to withstand any weather condition.
- **Weatherproof:** Nightscaping's string lights are guaranteed to last through any weather condition, rain, wind, or snow.



## ADD-ON

Twinkler Bistoliter



*Nightscaping*®  
SINCE 1959

5 YEAR WARRANTY  
★ ★ ★

LAMP OPTIONS  
1W-2W  
4W



# Twinkler Bistroliter

## Bistro Light Add-on

The Nightscaping® Twinkler Bistroliter is an aftermarket snap-on design lamp shade that fits on to 99% of professional-grade bistro lighting kits sold at your local home improvement or lighting showrooms. Installs in seconds and is a great way to dress up your bistro lights!

Each purchase of Twinkler Bistroliters comes with 6 lamp shades.



## FEATURES

- Each purchase of Twinkler Bistroliters comes with 6 lamp shades
- Easy Clamp On Design
- Fits 99% Of Professional Grade Bistro Light Kits
- Wind & Weather Proof
- Eliminate Unwanted Light Glare
- Powder Coated Aluminum Lamp Shade
- Solid Design With Set Screws - Will Never Fall Off
- Perfect For Restaurants, Hotels & Backyard Settings
- Multi-Configuration Based On Your Design Needs/Wants
- Allows For Area Brightness Customization
- Helps To Eliminate Light Pollution
- Proudly Designed In West Chester, PA, USA

## FINISHES



Black

*Nightscaping*<sup>®</sup>  
SINCE 1989

5 YEAR WARRANTY  
★ ★ ★

LAMP OPTIONS  
1W-2W  
4W

